The Journal of Laryngology and Otology
December 1993, Vol. **107**, pp. 1199–1216

Index

Orig. Art. Original Article
Short Comm. Short Communication
Clin. Rec. Clinical Record
Rev. Art. Review Article
Path. Focus Pathology in Focus
Hist. Art. Historical Article
Rad. Focus Radiology in Focus
Conf. Rep. Conference Reports

Aasen, S., Løtveit, T., Bakka, A., Boysen, M.
Two simultaneously occurring hypopharyngo-oesophageal diverticula. *Clin. Rec.*, 49
Abdullah, V., Williamson, P., Gallimore, A., Shah, N. S.
Middle ear lipoma. *Clin. Rec.*, 1151
Abu Shara, K. A., Ghareeb, M. A., Zaher, S., Mobacher, A., Khalifa, M. Ch., Saleh, S. Z.
Radiotherapeutic effect on oropharyngeal flora in patients with head and neck cancer. *Orig. Art.*, 222
Actis, R., Solero, P., Rolando, M., Pejrone, M. D., Rossi, G.
Cochlear interdependence and micromechanics in man and their relations with the activity of the medial olivocochlear efferent system (MOES). *Orig. Art.*, 883
Adam, E. J., Moore-Gillon, V., Rowe-Jones, J. M.
Subtle diagnostic markers of orbital floor blow-out fracture on coronal CT scan. *Rad. Focus*, 161
Adcock, S., Dawes, P. J. D., O'Keefe, L.
Informed consent: using a structured interview changes patient's attitudes towards informed consent. *Orig. Art.*, 775
Adeley, J., Drysdale, A. J., Ansell, J.
Palato-pharyngo-laryngeal myoclonus: an unusual cause of dysphagia and dysarthria. *Clin. Rec.*, 746
Agrawal, R., Flood, L. M., Bradey, N.
Iatrogenic pulsatile tinnitus. *Clin. Rec.*, 445
Ahmed, K., McCormick, M. S.
Bay leaf: an unusual oesophageal foreign body. *Clin. Rec.*, 153
Ahuja, A., Evans, R., To, K. F., King, W. W. K., van Hasselt, C. A., John, D. G., Rhys Williams, S.
Palpation compared with ultrasound in the assessment of malignant cervical lymph nodes. *Orig. Art.*, 821
Ajulo, S. O., Osiname, A. I., Myatt, H. M.
Sensorineural hearing loss in sickle cell anaemia—a United Kingdom study. *Orig. Art.*, 790
Aksoy, Y., Sutay, S., Tekinsoy, B., Ceryan, K.
Submaxillary hypoglossal neurilemmoma. *Clin. Rec.*, 953
Aktaş, D., Özünlü, A., Dündar, A., Dereköy, S., Önder, T.
Undifferentiated carcinoma with lymphoid stroma of the parotid gland. *Path. Focus*, 1177
Albers, F. W. J., Ingels, K. J. A. O.
Otoneurological manifestations in Chiari-I malformation. *Clin. Rec.*, 441
Albert, D. M., Irving, R. M., Parikh, A., Coumbe, A.
Melanotic neuroectodermal tumour of infancy. *Clin. Rec.*, 1045
Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Aldren, C. P., Soames, J. V., Birchall, J. P.
Bony remodelling in an osteoma of the paranasal sinuses. *Clin. Rec.*, 633
Al-Fallouji, H. K., Snow, D. G., Kuo, M. J., Johnson, P. J. E.
Spontaneous retropharyngeal haematoma: two cases and a review of the literature. *Clin. Rec.*, 649
Alguacil-Garcia, A., Dort, J. C., Phillips, S. M., Safneck, J. R.
Solitary fibrous tumour: report of two new locations in the upper respiratory tract. *Path. Focus*, 252
Al-Khabori, M. J. J., Kishore, K., Nehru, V. I.
Ligation of the internal jugular vein in venous hum tinnitus. *Clin. Rec.*, 1037
Al-Khabori, M., Natarajan, B., Thomas, M. R., Ward, K.
Oncocytic mixed nasal tumour. *Clin. Rec.*, 732
Al-Khabori, M. J. J., Natarajan, B., Thomas, M., Irvine, B.
Naso-labial flap in the reconstruction of the floor of the mouth defects. *Orig. Art.*, 320
Allan, W., Malhan, D., Williams, E. D., Hill, J.
Pressure exerted by head bandages used in otological surgery. *Orig. Art.*, 1110
Allen, J. P., Shotton, J. C., Sergeant, R. J., Tanner, N. S. B.
Lateral temporal bone resection for extensive pinnal malignancy: Has anything changed in forty years? *Orig. Art.*, 697
Al-Muhaimeid, H., El-Sayed, Y.
Acute visual loss in association with sinusitis. *Clin. Rec.*, 840
Al-Saati, A., Mitchell, D. B., Toynton, S., Fitzgerald O'Connor, A. F.
Post laryngectomy diverticulum—a case report. *Clin. Rec.*, 46
Al-Saati, A., Morrison, G. A. J., Clary, R. A., Bailey, C. M.
Surgical decannulation of children with tracheostomy. *Orig. Art.*, 217
Alshaikhly, A., Hamid, A. M.
Granular cell tumour of the larynx in an eight-year-old girl. *Clin. Rec.*, 940
Alun-Jones, T., Walsh, M., Russell, J. D., Donnelly, M., McShane, D. P.
What causes acute otitis externa? *Orig. Art.*, 898
Andaz, C., Whittet, H. B., Ludman, H.
An unusual cause of benign paroxysmal positional vertigo. *Clin. Rec.*, 1153
Angeli, S. S., Athanassopoulou, A. C., Vlahos, L. L., Gouliamos, A. D., Kailidou, E. D., Papailiou, J. G.
MRI features in a malignant glomus jugulare tumour. *Rad. Focus*, 1066
Ansell, J., Adeley, J., Drysdale, A. J.
Palato-pharyngo-laryngeal myoclonus: an unusual cause of dysphagia and dysarthria. *Clin. Rec.*, 746
Apaja-Sarkkinen, M., Tikkakoski, T., Stenfors, L-E., Typpö, T., Lohela, P.
Parathyroid adenomas: pre-operative localization with ultrasound combined with fine-needle biopsy. *Orig. Art.*, 543
Aplin, D. Y.
Psychological assessment of multi-channel cochlea implant patients. *Orig. Art.*, 298
Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Appleton, R. E., Hodgson, J., Hughes, A. P.
Acquired aphasia without deafness in childhood—the Landau-Kleffner syndrome. *Clin. Rec.*, 623
Armour, A., Williamson, J. M. S.
Ectopic cervical hamartomatous thymoma showing extensive myoid differentiation. *Path. Focus*, 155
Arthurs, G. J., Wilsher, T. K., Coakley, J. F.
The need for and development of a single use disposable nasal spray. *Orig. Art.*, 20
Asakura, K., Kataura, A., Ohguro, S., Himi, T., Harabuchi, Y., Suzuki, T.
Adult T-cell leukaemia-lymphoma in Waldeyer's ring: a report of three cases. *Clin. Rec.*, 960
Ashton-Key, M., Vinayak, B. C., Cox, G. J.
Pilomatrixoma of the external auditory meatus. *Clin. Rec.*, 333
Aslan, T., Güney, E., Erkan, M., Tolu, I.
Ultrasonography in laryngeal cancers. *Rad. Focus*, 65

Athanassopoulou, A. C., Vlahos, L. L., Gouliamos, A. D., Kailidou, E. D., Papailiou, J. G., Angeli, S. S.
MRI features in a malignant glomus jugulare tumour. *Rad. Focus*, 1066
Atula, T., Klemi, P.-J., Donath, K., Happonen, R.-P., Joensuu, H., Grenman, R.
Basal cell adenocarcinoma of the parotid gland: a case report and review of the literature. *Path. Focus*, 862
Aziz, N. S., Kong, N., Zahir, Z. M., Gendeh, B. S., Said, H., Gibb, A. G.
Gentamicin ototoxicity in continuous ambulatory peritoneal dialysis. *Orig. Art.*, 681
Bachaud, J. M., David, J. M., Shubinski, R. E., Perineau, D., Boussin, G., Serrano, E., De Forni, M., Pessey, J. J., Daly-Schveitzer, N. J.
Predictive factors of a complete response to and adverse effects of a CDDP–5FU combination as primary therapy for head and neck squamous carcinomas. *Orig. Art.*, 924
Baer, S., Hehar, S., Maw, A. R.
Tympanic membrane ossification. *Clin. Rec.*, 550
Baguley, D., Hardy, D., Moffatt, D. A., Golledge, J.
Clinical correlates of acoustic neuroma morphology. *Orig. Art.*, 290
Baguley, D. M., Harries, M. Ll., Court, I., Lynch, C., Gray, R. F.
Profound deafness treated by the Ineraid multichannel intracochlear implant. *Orig. Art.*, 673
Bahadur, S., Singh, M., Kacker, A.
Melanotic neuro-ectodermal tumour of infancy arising from the squamous and occipital bone. *Clin. Rec.*, 843
Bahadur, S., Tandon, D. A., Pande, R. M., Singh, A. M.
Anterior mandibulotomy for oral and oropharyngeal tumours. *Orig. Art.*, 316
Bahadur, S., Vijayaraghavan, M., Thakar, A., Tandon, D. A.
Extranotochordal chordoma presenting as multiple neck masses: report of a case. *Clin. Rec.*, 942
Bailey, C. M., Al-Saati, A., Morrison, G. A. J., Clary, R. A.
Surgical decannulation of children with tracheostomy. *Orig. Art.*, 217
Bakka, A., Boysen, M., Aasen, S., Løtveit, T.
Two simultaneously occurring hypopharyngo-oesophageal diverticula. *Clin. Rec.*, 49
Balm, A. J. M., Hilgers, F. J. M., Baris, G., Keus, R. B.
Pectoralis major muscle transposition: an adjunct to laryngeal preservation in severe chondroradionecrosis. *Clin. Rec.*, 748
Balm, A. J. M., Hilgers, F. J. M., Mak-Kregar, S., Mooi, W. J.
Squamous cell carcinoma of the tonsillar region and the base of the tongue: a morphological and immunohistochemical comparative pilot study. *Orig. Art.*, 1129
Balm, A. J. M., Kemper, J., Kuijper, E. J., Mirck, P. G. B.
Recovery from rhinocerebral mucormycosis in a ketoacidotic diabetic patient: a case report. *Clin. Rec.*, 233
Balm, A. J. M., Peterse, J. L., Keus, R. B., Hilgers, F. J. M., Elias, M. M.
Malignant schwannoma of the parapharyngeal space in von Recklinghausen's disease—a case report and review of literature. *Clin. Rec.*, 848
Balsitis, M., Saunders, M. W., Jones, N. S.
Bilateral auricular pseudocyst: a case report and discussion. *Clin. Rec.*, 39
Barbara, M., Saliola, S., Filipo, R.
False-positive M.R.I. in a patient with otoneurological pathology. *Rad. Focus*, 465
Baris, G., Keus, R. B., Balm, A. J. M., Hilgers, F. J. M.
Pectoralis major muscle transposition: an adjunct to laryngeal preservation in severe chondroradionecrosis. *Clin. Rec.*, 748
Barnes, P. R. J., Lomas, D. A.
Repeated insertion of foreign bodies into the tracheobronchial tree via tracheostomy. *Clin. Rec.*, 359
Barr, G. S., Bickerton, R. C., Tewary, A. K.
Parental preferences for duration of hospital stay following tonsillectomy. *Orig. Art.*, 709
Barr, G. S., Tewary, A. K.
Alteration of airflow and mucociliary transport in normal subjects. *Orig. Art.*, 603
Barr, G. S., Tewary, A. K., Cable, H. R.
Steroids and control of post-tonsillectomy pain. *Orig. Art.*, 605
Barrett, G. S., Pringle, M. B., Jefferis, A. J.
Sensorineural hearing loss caused by metastatic prostatic carcinoma: a case report. *Clin. Rec.*, 933
Barzan, L., Tavio, M., Tirelli, U., Comoretto, R.
Head and neck manifestations during HIV infection. *Orig. Art.*, 133
Batch, A., Powell, D., Radford, K., Rogers, S. N.
"The holiday plug": a temporary solution to the problem of the leaking voice prosthesis. *Short Comm.*, 1149
Bath, A. P., Murty, G. E., Gibbin, K. P.
Munchausen syndrome by proxy: otol .ryngologists beware! *Clin. Rec.*, 151
Batmanghelichi, O., Lupovitch, A., Salama, D.
Benign hamartomatous polyp of the palatine tonsil. *Path. Focus*, 1074
Batsakis, J. G., Ordóñez, N. G., Luna, M. A., Goepfert, H., El-Naggar, A. K.
Rhabdomyosarcoma of the adult head and neck: a clinicopathological and DNA ploidy study. *Orig. Art.*, 716
Batsakis, J. G., Weber, R., Luna, M. A., El-Naggar, A. K., Carrillo, R.
Salivary neoplasms of the palate: A flow cytometric and clinicopathological analysis. *Path. Focus*, 858
Beck, M. H., Wilkinson, S. M.
Hypersensitivity to topical corticosteroids in otitis externa. *Orig. Art.*, 597
Bendet, E., Findler, G., Roth, Y., Kronenberg, J.
Cerebrospinal fluid (CSF) otorhinorrhoea following vestibular schwannoma surgery treated by extended subtotal petrosectomy with obliteration. *Orig. Art.*, 1122
Bennett, J. D. C., Chowdhury, C. R.
Dysphagia caused by a foreign body in the thyroid. *Clin. Rec.*, 1057
Berger, G.
Eustachian tube submucosal glands in normal and pathological temporal bones. *Orig. Art.*, 1099
Berglund, J., Seidal, T., Theander, C., Lødén, B.
Primary squamous carcinoma of the thyroid—a case report. *Clin. Rec.*, 1155
Berry, J., Bicknell, P., Owen, G.
Hamartoma of the tongue. *Path. Focus*, 363
Beynon, G.
When is a decibel not a decibel? *Orig. Art.*, 985
Bégin, L. R., Frenkiel, S.
Polypoid lipoma of the palatine tonsil. *Clin. Rec.*, 556
Bhargava, A. K., Naganoor, I. A., Vijayakumar, M., Shenoy, A. M., Nanjundappa, M., Nayak, U. K.
Scalp flap—a utility and reconstructive option for head and neck surgeons. *Orig. Art.*, 324
Bhargava, K. B., Bhargava, S. K., Bhat, N.
Broken tracheostomy introducer—an unusual tracheobronchial foreign body. *Clin. Rec.*, 463
Bhargava, S. K., Bhat, N., Bhargava, K. B.
Broken tracheostomy introducer—an unusual tracheobronchial foreign body. *Clin. Rec.*, 463
Bhat, N., Bhargava, K. B., Bhargava, S. K.
Broken tracheostomy introducer—an unusual tracheobronchial foreign body. *Clin. Rec.*, 463
Bicciolo, G., Rizzo, S., Frenguelli, A., Ruscito, P.
Per-oral excision of a pharyngeal branchial cyst after MRI study. *Clin. Rec.*, 1054
Bickerton, R. C., Tewary, A. K., Barr, G. S.
Parental preferences for duration of hospital stay following tonsillectomy. *Orig. Art.*, 709
Bicknell, P., Owen, G., Berry, J.
Hamartoma of the tongue. *Path. Focus*, 363
Birchall, J. P., Aldren, C. P., Soames, J. V.
Bony remodelling in an osteoma of the paranasal sinuses. *Clin. Rec.*, 633
Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Birzgalis, A. R., Curley, J. W. A., Camphor, I.
Pneumoparotitis, subcutaneous emphysema and pleomorphic adenoma. *Clin. Rec.*, 349
Birzgalis, A. R., Farrington, W. T., O'Keeffe, L., Shaw, J.
Localized tracheopathia osteoplastica of the subglottis. *Clin. Rec.*, 352
Birzgalis, A. R., Lundell, C., Farrington, W. T., Woolford, T. J.
Vomiting in pregnancy resulting in oesophageal perforation in a 15-year-old. *Clin. Rec.*, 1059
Birzgalis, A. R., O'Keeffe, L. J., Ramsden, R. T.
Cerebellopontine angle lipoma. *Clin. Rec.*, 553
Primary synovial sarcoma of the middle ear. *Path. Focus*, 1071
Birzgalis, A. R., Ramsden, R. T., Farrington, W. T., Small, M.
Severe radionecrosis of the temporal bone. *Orig. Art.*, 183
Bizakis, J., Segas, J., Helidonis, E., Velegrakis, G., Skoulakis, C.
Otorhinolaryngological diseases in the Minoan era. *Hist. Art.*, 879

Blayney, A., Curran, A. J., O'Dwyer, T. P.
Emergency tracheostomy in a patient with Melnick-Needles Syndrome and sleep apnoea. *Clin. Rec.*, 647
Bleach, N. R., Glaser, M., Cheesman, A. D., Russell, J. D.
Brachytherapy for recurrent nasopharyngeal and naso-ethmoidal tumours. *Orig. Art.*, 115
Bleach, N. R., Perry, A. R., Cheesman, A. D., Scott, P. M. J.
Complications of pharyngeal myotomy for alaryngeal voice rehabilitation. *Orig. Art.*, 430
Boldy, D. A. R., Bryan, R. L., Pearman, K., Manohar, M. B.
Penicillamine-induced changes in elastic tissue of the upper respiratory tract. *Clin. Rec.*, 62
Boussin, G., Serrano, E., De Forni, M., Pessey, J. J., Daly-Schveitzer, N. J., Bachaud, J. M., David, J. M., Shubinski, R. E., Perineau, D.
Predictive factors of a complete response to and adverse effects of a CDDP–5FU combination as primary therapy for head and neck squamous carcinomas. *Orig. Art.*, 924
Bown, S. G., Grant, W. E., Hopper, C., Speight, P. M., Macrobert, A. J.
Photodynamic therapy of malignant and premalignant lesions in patients with 'field cancerization' of the oral cavity. *Orig. Art.*, 1140
Boyd, P., Giles, E., Hamilton, J., Ramsden, R. T., Herdman, R. C. D.
A review of patients attending a preliminary cochlear implant assessment clinic. *Orig. Art.*, 103
Boysen, M., Aasen, S., Løtveit, T., Bakka, A.
Two simultaneously occurring hypopharyngo-oesophageal diverticula. *Clin. Rec.*, 49
Boysen, M., Tausjø, J., Natvig, K.
Fistulas following laryngectomy in patients treated with irradiation. *Orig. Art.*, 1136
Bradey, N., Agrawal, R., Flood, L. M.
Iatrogenic pulsatile tinnitus. *Clin. Rec.*, 445
Brasnu, D., Laccoureye, O., Merite-Drancy, A., Chabardes, E., Carnot, F., Renard, P., Donnadieu, S.
Implantation metastasis following percutaneous endoscopic gastrostomy. *Clin. Rec.*, 946
Bridges, A., Guragain, R., Friedman, D., Prasad, R., Weir, N., Little, P.
Hearing impairment and ear pathology in Nepal. *Orig. Art.*, 395
Briggs, R. J. S., Gallimore, A. P., Phelps, P. D., Howard, D. J.
Laryngeal imaging by computerized tomography and magnetic resonance following radiation therapy: a need for caution. *Rad. Focus*, 565
Brightwell, A. P., Garth, R. J. N., Coddington, R.
Primary cerebral lymphoma presenting with bilateral cerebellopontine angle lesions. *Clin. Rec.*, 937
Brookes, G. B., Saeed, S. R.
The use of *Clostridium botulinum* toxin in palatal myoclonus: a preliminary report. *Orig. Art.*, 208
Brooks, J. P., Morgan, D. W., Glaholm, J.
Twelve cases of glottic carcinoma *in situ* treated by radiotherapy: an observation on clinical course versus response. *Orig. Art.*, 1014
Brown, D., Dardick, I., Timon, C. I.
Hyoid bone tumour mass presenting with cervical nodal metastasis. *Path. Focus*, 967
Brown, S. G., Robinson, P. J., Grant, H. R.
NdYAG Laser treatment of a glomus tympanicum tumour. *Clin. Rec.*, 236
Browning, G. G., Gatehouse, S. G., Dempster, J. H.
A randomized study of the surgical management of children with persistent otitis media with effusion associated with a hearing impairment. *Orig. Art.*, 284
Bryan, R. L., Pearman, K., Manohar, M. B., Boldy, D. A. R.
Penicillamine-induced changes in elastic tissue of the upper respiratory tract. *Clin. Rec.*, 62
Buchwald, C., Tos, M., Thomsen, J., Møller, H., Parving, A.
Observer variations in the evaluation of facial nerve function after acoustic neuroma surgery. *Orig. Art.*, 1119
Cable, H. R., Barr, G. S., Tewary, A. K.
Steroids and control of post-tonsillectomy pain. *Orig. Art.*, 605
Cable, H. R., Salam, M. A.
The use of antibiotic/steroid ear drops to reduce post-operative otorrhoea and blockage of ventilation tubes. A prospective study. *Orig. Art.*, 188
Callanan, V. P., Curran, A. J., Gormley, P. K.
Xenograft versus autograft in tympanoplasty. *Orig. Art.*, 892
Camacho, F. J., Tavin, M. E., Rubin, J. S.
Sudden sensorineural hearing loss in haemoglobin SC disease. *Clin. Rec.*, 831
Campbell, J. B., Johnson, I. J. M., Ravi, M.
Renal derived epistaxis. *Clin. Rec.*, 144
Camphor, I., Birzgalis, A. R., Curley, J. W. A.
Pneumoparotitis, subcutaneous emphysema and pleomorphic adenoma. *Clin. Rec.*, 349
Capper, R., Stewart, T. J., Magennis, J. P.
An unusual presentation of oat cell carcinoma. *Clin. Rec.*, 559
Carnot, F., Renard, P., Donnadieu, S., Brasnu, D., Laccoureye, O., Merite-Drancy, A., Chabardes, E.
Implantation metastasis following percutaneous endoscopic gastrostomy. *Clin. Rec.*, 946
Carrillo, R., Batsakis, J. G., Weber, R., Luna, M. A., El-Naggar, A. K.
Salivary neoplasms of the palate: A flow cytometric and clinicopathological analysis. *Path. Focus*, 858
Caslin, A. W., Smith, P. A., Turnbull, L. S., Panarese, A., Jones, A. S., Roland, N. J.
Fine needle aspiration cytology of salivary gland lesions reported immediately in a head and neck clinic. *Orig. Art.*, 1025
Ceryan, K., Aksoy, Y., Sutay, S., Tekinsoy, B.
Submaxillary hypoglossal neurilemmoma. *Clin. Rec.*, 953
Chabardes, E., Carnot, F., Renard, P., Donnadieu, S., Brasnu, D., Laccoureye, O., Merite-Drancy, A.
Implantation metastasis following percutaneous endoscopic gastrostomy. *Clin. Rec.*, 946
Charlton, A., Hinton, A. E., Freemont, A. J., Herdman, R. C. D.
An *in vitro* comparison of the erbium:YAG laser and the carbon dioxide laser in laryngeal surgery. *Orig. Art.*, 908
Cheesman, A. D., Russell, J. D., Bleach, N. R., Glaser, M.
Brachytherapy for recurrent nasopharyngeal and naso-ethmoidal tumours. *Orig. Art.*, 115
Cheesman, A. D., Scott, P. M. J., Bleach, N. R., Perry, A. R.
Complications of pharyngeal myotomy for alaryngeal voice rehabilitation. *Orig. Art.*, 430
Chen, K. T. K., Weinberg, R. A., Simpson, P. R., Tschang, T-P.
Osteoblastoma of the nasal cavity. *Clin. Rec.*, 737
Cherian, T. A., Rupa, V., Raman, R.
External laryngeal trauma: analysis of thirty cases. *Orig. Art.*, 920
Chetan, S.
Nasal muco-ciliary clearance in snuff users. *Orig. Art.*, 24
Chevretton, E. B., Dilkes, M. G., Gautama, P., Knowles, C. H.
Primary tracheal tuberculosis in an otherwise healthy 65-year-old caucasian woman. *Clin. Rec.*, 1052
Chow, L. T., Chow, W., Shum, B. S.
Fatal massive upper respiratory tract haemorrhage: an unusual complication of localized amyloidosis of the larynx. *Clin. Rec.*, 51
Chow, W., Shum, B. S., Chow, L. T.
Fatal massive upper respiratory tract haemorrhage: an unusual complication of localized amyloidosis of the larynx. *Clin. Rec.*, 51
Chowdhury, C. R., Bennett, J. D. C.
Dysphagia caused by a foreign body in the thyroid. *Clin. Rec.*, 1057
Choy, A. T. K., John, D. G., van Hasselt, C. A.
Posterior epistaxis and the undeflatable Foley's urinary catheter balloon. *Clin. Rec.*, 142
Christmas, H. E., Irwin, J., Doig, A., Vaughan-Jones, R. H., Padgham, N. D.
One aid or two?—more visits please! *Orig. Art.*, 329
Cinnamond, M. J., Cullen, J. R.
Hearing loss in diabetics. *Orig. Art.*, 179
Clarke, R. W., Jones, A. S., Jackson, S. R., Roland, N. J.
Recurrent pleomorphic adenoma. *Orig. Art.*, 546
Clary, R. A., Bailey, C. M., Al-Saati, A., Morrison, G. A. J.
Surgical decannulation of children with tracheostomy. *Orig. Art.*, 217
Clifford, K. M. A., Flood, L. M., Dingle, A. F.
Retropharyngeal haematoma: a diagnosis for concern? *Clin. Rec.*, 356
Coakley, J. F., Arthurs, G. J., Wilsher, T. K.
The need for and development of a single use disposable nasal spray. *Orig. Art.*, 20
Coddington, R., Brightwell, A. P., Garth, R. J. N.
Primary cerebral lymphoma presenting with bilateral cerebellopontine angle lesions. *Clin. Rec.*, 937
Colquhoun, I., Mackay, I. S., Cumberworth, V. L., Russell, J.
Pneumatization of the uncinate process. *Rad. Focus*, 361
Comoretto, R., Barzan, L., Tavio, M., Tirelli, U.
Head and neck manifestations during HIV infection. *Orig. Art.*, 133
Considine, N., McShane, D. P., Donnelly, M. J.
Upper airway invasion by well-differentiated thyroid carcinoma. *Clin. Rec.*, 752

Cordoba, M., Ophir, D., Ruchvarger, E.
Angioleiomyoma of the nasal tip. *Clin. Rec.*, 448
Corney, C., El-Silimy, O.
The value of sonography in the management of cystic neck lesions. *Rad. Focus*, 245
Coumbe, A., Albert, D. M., Irving, R. M., Parikh, A.
Melanotic neuroectodermal tumour of infancy. *Clin. Rec.*, 1045
Court, I., Lynch, C., Gray, R. F., Baguley, D. M., Harries, M. Ll.
Profound deafness treated by the Ineraid multichannel intracochlear implant. *Orig. Art.*, 673
Cox, G. J., Ashton-Key, M., Vinayak, B. C.
Pilomatrixoma of the external auditory meatus. *Clin. Rec.*, 333
Cremers, C. W. R. J., Thijssen, H. O. M., Meyer, H. E., van Leeuwen, J. P. P. M.
Unchanged unilateral hearing loss and ipsilateral growth of an acoustic neuroma from 1 to 4 cm. *Clin. Rec.*, 230
Cullen, J. R., Cinnamond, M. J.
Hearing loss in diabetics. *Orig. Art.*, 179
Cullen, J. R., Primrose, W. J., Vaughan, C. W.
Osteomyelitis as a complication of a tracheo-oesophageal puncture. *Clin. Rec.*, 242
Cumberworth, V. L., Russell, J., Colquhoun, I., Mackay, I. S.
Pneumatization of the uncinate process. *Rad. Focus*, 361
Curley, J. W. A., Camphor, I., Birzgalis, A. R.
Pneumoparotitis, subcutaneous emphysema and pleomorphic adenoma. *Clin. Rec.*, 349
Curran, A. J., Gormley, P. K., Callanan, V. P.
Xenograft versus autograft in tympanoplasty. *Orig. Art.*, 892
Curran, A. J., O'Dwyer, T. P., Blayney, A.
Emergency tracheostomy in a patient with Melnick-Needles Syndrome and sleep apnoea. *Clin. Rec.*, 647
Curry, A. R., Tewary, A. K.
Same-day tonsillectomy. *Orig. Art.*, 706
Daly-Schveitzer, N. J., Bachaud, J. M., David, J. M., Shubinski, R. E., Perineau, D., Boussin, G., Serrano, E., De Forni, M., Pessey, J. J.
Predictive factors of a complete response to and adverse effects of a CDDP–5FU combination as primary therapy for head and neck squamous carcinomas. *Orig. Art.*, 924
Daniilidis, J., Fountzilas, G., Kouloulas, A., Sombolos, K., Velegrakis, G., Nikolaou, A.
Supraglottic laryngectomy: experience with 66 patients over 20 years. *Orig. Art.*, 813
Dardick, I., Timon, C. I., Brown, D.
Hyoid bone tumour mass presenting with cervical nodal metastasis. *Path. Focus*, 967
Das Gupta, A., Jones, E. L., Dhaliwal, J., Rowlands, D. C., Niedobitek, G., Williams, A.
Nasal T-cell lymphoma associated with Epstein-Barr virus infection. *Path. Focus*, 468
David, J. M., Shubinski, R. E., Perineau, D., Boussin, G., Serrano, E., De Forni, M., Pessey, J. J., Daly-Schveitzer, N. J., Bachaud, J. M.
Predictive factors of a complete response to and adverse effects of a CDDP–5FU combination as primary therapy for head and neck squamous carcinomas. *Orig. Art.*, 924
David, V. C., Shenoy, P.
A case of quinsey in a fifteen-month-old child. *Clin. Rec.*, 354
David, V. C., Shenoy, P. K.
Cervical thymic cyst—a case report. *Clin. Rec.*, 950
Davidsson, Å., Hellquist, H. B., Villman, K., Westman, G.
Malignant melanoma of the ear. *Orig. Art.*, 798
Davis, J. P.
Respiratory obstruction associated with the use of the Brighton epistaxis balloon. *Clin. Rec.*, 140
Davis, J. P., Prinsley, P. R., Robinson, P. J.
Cervical lymphadenopathy due to mycobacterial infection: a diagnostic protocol. *Orig. Art.*, 614
Dawes, P. J. D., O'Keefe, L., Adcock, S.
Informed consent: using a structured interview changes patient's attitudes towards informed consent. *Orig. Art.*, 775
Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Daya, H., Gallimore, A.
Recurrent laryngeal papillomatosis: a case of florid papillomatosis following a remission of 30 years. *Clin. Rec.*, 636
De Forni, M., Pessey, J. J., Daly-Schveitzer, N. J., Bachaud, J. M., David, J. M., Shubinski, R. E., Perineau, D., Boussin, G., Serrano, E.
Predictive factors of a complete response to and adverse effects of a CDDP–5FU combination as primary therapy for head and neck squamous carcinomas. *Orig. Art.*, 924
Deadman, M. J., Worrollo, S. J., Hobson, J. A., Stevenson, D. S., Proops, D. W., Wake, M. J. C.
Osseointegrated implants in the management of childhood ear abnormalities: the initial Birmingham experience. *Orig. Art.*, 502
Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Delgado-Rodriguez, M., Mochon, A., Esteban, F., Moreno, J. A.
Risk factors involved in stomal recurrence following laryngectomy. *Orig. Art.*, 527
Dempster, J. H., Browning, G. G., Gatehouse, S. G.
A randomized study of the surgical management of children with persistent otitis media with effusion associated with a hearing impairment. *Orig. Art.*, 284
Denholm, S. W., Maynard, C. A., Watson, H. G.
Warfarin and epistaxis—a case controlled study. *Orig. Art.*, 195
Dereköy, S., Önder, T., Aktaş, D., Özünlü, A., Dündar, A.
Undifferentiated carcinoma with lymphoid stroma of the parotid gland. *Path. Focus*, 1177
Dhaliwal, J., Rowlands, D. C., Niedobitek, G., Williams, A., Das Gupta, A., Jones, E. L.
Nasal T-cell lymphoma associated with Epstein-Barr virus infection. *Path. Focus*, 468
Dilkes, M. G., Gautama, P., Knowles, C. H., Chevretton, E. B.
Primary tracheal tuberculosis in an otherwise healthy 65-year-old caucasian woman. *Clin. Rec.*, 1052
Dingle, A. F., Clifford, K. M. A., Flood, L. M.
Retropharyngeal haematoma: a diagnosis for concern? *Clin. Rec.*, 356
Dingle, A. F., Flood, L. M., Kumar, B. U., Hampal, S.
The mini-grommet and tympanosclerosis: results at two years. *Orig. Art.*, 108
Dinnen, J. S., Singh, K. B., Hanna, G. S.
Paraganglioma of the external auditory canal. *Clin. Rec.*, 228
Doig, A., Vaughan-Jones, R. H., Padgham, N. D., Christmas, H. E., Irwin, J.
One aid or two?—more visits please! *Orig. Art.*, 329
Donath, K., Happonen, R.-P., Joensuu, H., Grenman, R., Atula, T., Klemi, P.-J.
Basal cell adenocarcinoma of the parotid gland: a case report and review of the literature. *Path. Focus*, 862
Donnadieu, S., Brasnu, D., Laccoureye, O., Merite-Drancy, A., Chabardes, E., Carnot, F., Renard, P.
Implantation metastasis following percutaneous endoscopic gastrostomy. *Clin. Rec.*, 946
Donnelly, M., McShane, D. P., Alun-Jones, T., Walsh, M., Russell, J. D.
What causes acute otitis externa? *Orig. Art.*, 898
Donnelly, M. J., Considine, N., McShane, D. P.
Upper airway invasion by well-differentiated thyroid carcinoma. *Clin. Rec.*, 752
Dort, J. C., Phillips, S. M., Safneck, J. R., Alguacil-Garcia, A.
Solitary fibrous tumour: report of two new locations in the upper respiratory tract. *Path. Focus*, 252
Drake-Lee, A. B., Thompson, R. A., Snow, D. G., Hansel, T. T., Williams, P. E.
Sinus computerized tomography in primary hypogammaglobulinaemia. *Orig. Art.*, 1008
Drysdale, A. J., Ansell, J., Adeley, J.
Palato-pharyngo-laryngeal myoclonus: an unusual cause of dysphagia and dysarthria. *Clin. Rec.*, 746
Drysdale, A. J., Lee, P. Y. C.
Tuberculous otitis media: a difficult diagnosis. *Clin. Rec.*, 339
Dündar, A., Dereköy, S., Önder, T., Aktaş, D., Özünlü, A.
Undifferentiated carcinoma with lymphoid stroma of the parotid gland. *Path. Focus*, 1177
Dutton, J. E. M., Richardson, P. L., Harris, R., Evans, D. G., Strachan, T., Neary, W. J., Newton, V. E., Vidler, M., Ramsden, R. T., Lye, R. H.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6

Edmonds, S. E., McFerran, D. J.
The use of balloon catheters in the treatment of epistaxis. *Orig. Art.*, 197
Eizaguirre, B., Florencio, M. R., Lopez, J. I., Elizalde, J. M.
Frozen section diagnosis in a jugulo-tympanic paraganglioma. *Path. Focus*, 755
Elias, M. M., Balm, A. J. M., Peterse, J. L., Keus, R. B., Hilgers, F. J. M.
Malignant schwannoma of the parapharyngeal space in von Recklinghausen's disease—a case report and review of literature. *Clin. Rec.*, 848
Elizalde, J. M., Eizaguirre, B., Florencio, M. R., Lopez, J. I.
Frozen section diagnosis in a jugulo-tympanic paraganglioma. *Path. Focus*, 755
Ellis, G. L., Meis, J. M., Heffner, D. K., Williams, S. B.
Ossifying fibromyxoid tumour (of soft parts) of the head and neck: a clinicopathological and immunohistochemical study of nine cases. *Path. Focus*, 75
El-Naggar, A. K., Batsakis, J. G., Ordóñez, N. G., Luna, M. A., Goepfert, H.
Rhabdomyosarcoma of the adult head and neck: a clinicopathological and DNA ploidy study. *Orig. Art.*, 716
El-Naggar, A. K., Carrillo, R., Batsakis, J. G., Weber, R., Luna, M. A.
Salivary neoplasms of the palate: A flow cytometric and clinicopathological analysis. *Path. Focus*, 858
El-Sayed, Y., Al-Muhaimeid, H.
Acute visual loss in association with sinusitis. *Clin. Rec.*, 840
El-Silimy, O.
Inferior turbinate resection: the need for a nasal pack. *Orig. Art.*, 906
El-Silimy, O., Corney, C.
The value of sonography in the management of cystic neck lesions. *Rad. Focus*, 245
Elwany, S.
Pathology of the eustachian tube in otitis media: an electron microscopic study. *Path. Focus*, 651
Enjoji, M., Sugimoto, T., Wakizono, S., Uemura, T., Tsuneyoshi, M.
Malignant oncocytoma of the parotid gland: a case report with an immunohistochemical and ultrastructural study. *Path. Focus*, 69
Erkan, M., Tolu, I., Aslan, T., Güney, E.
Ultrasonography in laryngeal cancers. *Rad. Focus*, 65
Essa, A., Rajah, V.
Histoplasmosis of the oral cavity, oropharynx and larynx. *Clin. Rec.*, 58
Esteban, F., Moreno, J. A., Delgado-Rodriguez, M., Mochon, A.
Risk factors involved in stomal recurrence following laryngectomy. *Orig. Art.*, 527
Evans, D. G., Strachan, T., Neary, W. J., Newton, V. E., Vidler, M., Ramsden, R. T., Lye, R. H., Dutton, J. E. M., Richardson, P. L., Harris, R.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6
Evans, D. G. R., Ramsden, R., Huson, S. M., Harris, R., Lye, R., King, T. T.
Type 2 neurofibromatosis: the need for supraregional care? *Orig. Art.*, 401
Evans, J., Michaels, L., Phelps, P. D., Proops, D., Sellars, S.
Congenital cerebrospinal fluid fistula through the inner ear and meningitis. *Orig. Art.*, 492
Evans, J. N. G., Morrison, G. A. J., Kotecha, B.
Ribavirin treatment for juvenile respiratory papillomatosis. *Orig. Art.*, 423
Evans, R., To, K. F., King, W. W. K., van Hasselt, C. A., John, D. G., Rhys Williams, S., Ahuja, A.
Palpation compared with ultrasound in the assessment of malignant cervical lymph nodes. *Orig. Art.*, 821
Fabre, J. W., Sergeant, R. J., Milton, C. M., Shotton, J. C., Premachandran, D. J., Woodward, B. M.
A new technique using cultured epithelial sheets for the management of epistaxis associated with hereditary haemorrhagic telangiectasia. *Orig. Art.*, 510
Fagan, P. A., Sillars, H. A.
The management of multiple paraganglioma of the head and neck. *Orig. Art.*, 538
Farrington, W. T., O'Keeffe, L., Shaw, J., Birzgalis, A. R.
Localized tracheopathia osteoplastica of the subglottis. *Clin. Rec.*, 352
Farrington, W. T., Small, M., Birzgalis, A. R., Ramsden, R. T.
Severe radionecrosis of the temporal bone. *Orig. Art.*, 183
Farrington, W. T., Woolford, T. J., Birzgalis, A. R., Lundell, C.
Vomiting in pregnancy resulting in oesophageal perforation in a 15-year-old. *Clin. Rec.*, 1059
Feghali, J. D., Kantrowitz, A. B.
Transcranial translabyrinthine approach to vestibular schwannomas. *Orig. Art.*, 111
Fenton, C. J., Pearson, C. R., Riden, K., Thomas, M. R., Garth, R. J. N.
The tracheostomal washer: a simple aid for tracheo-oesophageal speakers with a large tracheostome. *Short Comm.*, 824
Ferlitio, A.
A review of the definition, terminology and pathology of aural cholesteatoma. *Orig. Art.*, 483
Filipo, R., Barbara, M., Saliola, S.
False-positive M.R.I. in a patient with otoneurological pathology. *Rad. Focus*, 465
Findler, G., Roth, Y., Kronenberg, J., Bendet, E.
Cerebrospinal fluid (CSF) otorhinorrhoea following vestibular schwannoma surgery treated by extended subtotal petrosectomy with obliteration. *Orig. Art.*, 1122
Fisher, E. W., Toma, A. G.
Osteoma of the external auditory meatus presenting as an aural polyp. *Clin. Rec.*, 935
Fitzgerald O'Connor, A. F., Al-Saati, A., Mitchell, D. B., Toynton, S.
Post laryngectomy diverticulum—a case report. *Clin. Rec.*, 46
Flanagan, P. M., McIlwain, J. C.
Tuberculosis of the larynx in a lepromatous patient. *Clin. Rec.*, 845
Flood, L. M., Bradey, N., Agrawal, R.
Iatrogenic pulsatile tinnitus. *Clin. Rec.*, 445
Flood, L. M., Dingle, A. F., Clifford, K. M. A.
Retropharyngeal haematoma: a diagnosis for concern? *Clin. Rec.*, 356
Flood, L. M., Kumar, B. U., Hampal, S., Dingle, A. F.
The mini-grommet and tympanosclerosis: results at two years. *Orig. Art.*, 108
Florencio, M. R., Lopez, J. I., Elizalde, J. M., Eizaguirre, B.
Frozen section diagnosis in a jugulo-tympanic paraganglioma. *Path. Focus*, 755
Fooanant, S., Ruckphaopunt, K., Navacharoen, N., Teotrakul, S., Kangsanarak, J.
Extracranial and intracranial complications of suppurative otitis media: report of 102 cases. *Orig. Art.*, 999
Fountzilas, G., Kouloulas, A., Sombolos, K., Velegrakis, G., Nikolaou, A., Daniilidis, J.
Supraglottic laryngectomy: experience with 66 patients over 20 years. *Orig. Art.*, 813
Freemont, A. J., Herdman, R. C. D., Charlton, A., Hinton, A. E.
An *in vitro* comparison of the erbium: YAG laser and the carbon dioxide laser in laryngeal surgery. *Orig. Art.*, 908
Frenguelli, A., Ruscito, P., Bicciolo, G., Rizzo, S.
Per-oral excision of a pharyngeal branchial cyst after MRI study. *Clin. Rec.*, 1054
Frenkiel, S., Bégin, L. R.
Polypoid lipoma of the palatine tonsil. *Clin. Rec.*, 556
Friedman, D., Prasad, R., Weir, N., Little, P., Bridges, A., Guragain, R.
Hearing impairment and ear pathology in Nepal. *Orig. Art.*, 395
Friedmann, I., Frohlich, A., Wright, A.
Epidemic typhus fever and hearing loss: a historical study. *Orig. Art.*, 275
Frohlich, A., Wright, A., Friedmann, I.
Epidemic typhus fever and hearing loss: a historical study. *Orig. Art.*, 275
Fujikura, T., Otsuka, H., Ohkubo, K., Seki, H., Ohnishi, M.
Mast cell quantitation in nasal polyps, sinus mucosa and nasal turbinate mucosa. *Orig. Art.*, 418
Fukuda, I., Kumoi, T., Minatogawa, T., Nakamura Node, M.
Dermoid cyst in the middle ear. *Clin. Rec.*, 335
Fukuda, K., Furuta, S., Ohyama, M., Itoh, K., Nobori, T.
Chondrosarcoma of the hyoid bone. *Clin. Rec.*, 642
Furukawa, M., Ngayama, I., Nishimura, T.
Malignant schwannoma arising in a paranasal sinus. *Clin. Rec.*, 146
Furukawa, S., Sawaki, S., Mochimatsu, I., Tsukuda, M.
Tumours metastasizing to the head and neck—a report of seven cases. *Clin. Rec.*, 1171
Furuta, S., Ohyama, M., Itoh, K., Nobori, T., Fukuda, K.
Chondrosarcoma of the hyoid bone. *Clin. Rec.*, 642
Gaffney, R. J., Walsh, M. A.
Cervicofacial actinomycosis: an unusual cause of submandibular swelling. *Clin. Rec.*, 1169

Gallimore, A., Daya, H.
Recurrent laryngeal papillomatosis: a case of florid papillomatosis following a remission of 30 years. *Clin. Rec.*, 636
Gallimore, A., Shah, N. S., Abdullah, V., Williamson, P.
Middle ear lipoma. *Clin. Rec.*, 1151
Gallimore, A. P., Harcourt, J. P.
Leiomyoma of the paranasal sinuses. *Clin. Rec.*, 740
Gallimore, A. P., Phelps, P. D., Howard, D. J., Briggs, R. J. S.
Laryngeal imaging by computerized tomography and magnetic resonance following radiation therapy: a need for caution. *Rad. Focus*, 565
Garozzo, A., Rossi, M.
Glottic reconstruction by implant of homologous laryngeal cartilages. *Orig. Art.*, 427
Garth, R. J. N., Coddington, R., Brightwell, A. P.
Primary cerebral lymphoma presenting with bilateral cerebellopontine angle lesions. *Clin. Rec.*, 937
Garth, R. J. N., Fenton, C. J., Pearson, C. R., Riden, K., Thomas, M. R.
The tracheostomal washer: a simple aid for tracheo-oesophageal speakers with a large tracheostome. *Short Comm.*, 824
Gatehouse, S. G., Dempster, J. H., Browning, G. G.
A randomized study of the surgical management of children with persistent otitis media with effusion associated with a hearing impairment. *Orig. Art.*, 284
Gautama, P., Knowles, C. H., Chevretton, E. B., Dilkes, M. G.
Primary tracheal tuberculosis in an otherwise healthy 65-year-old caucasian woman. *Clin. Rec.*, 1052
Gendeh, B. S., Said, H., Gibb, A. G., Aziz, N. S., Kong, N., Zahir, Z. M.
Gentamicin ototoxicity in continuous ambulatory peritoneal dialysis. *Orig. Art.*, 681
George, M. K., Speculand, B., Pahor, A. L., O'Connell, J. E.
Mycobacterial infection of the parotid gland: an unusual cause of parotid swelling. *Clin. Rec.*, 561
Ghareeb, M. A., Zaher, S., Mobacher, A., Khalifa, M. Ch., Saleh, S. Z., Abu Shara, K. A.
Radiotherapeutic effect on oropharyngeal flora in patients with head and neck cancer. *Orig. Art.*, 222
Gibb, A. G., Aziz, N. S., Kong, N., Zahir, Z. M., Gendeh, B. S., Said, H.
Gentamicin ototoxicity in continuous ambulatory peritoneal dialysis. *Orig. Art.*, 681
Gibbin, K., Mason, J., O'Flynn, P.
Cannabis in the external ear. *Clin. Rec.*, 444
Gibbin, K. P., Bath, A. P., Murty, G. E.
Munchausen syndrome by proxy: otolaryngologists beware! *Clin. Rec.*, 151
Giles, E., Hamilton, J., Ramsden, R. T., Herdman, R. C. D., Boyd, P.
A review of patients attending a preliminary cochlear implant assessment clinic. *Orig. Art.*, 103
Gillespie, J. E., Ramsden, R. T., Herdman, R. C. D.
Facial palsy after glomus tumour embolization. *Rad. Focus*, 963
Giménez, F., Marco-Algarra, J.
The prognostic value of mucociliary clearance in predicting success in tympanoplasty. *Orig. Art.*, 895
Glaholm, J., Brooks, J. P., Morgan, D. W.
Twelve cases of glottic carcinoma *in situ* treated by radiotherapy: an observation on clinical course versus response. *Orig. Art.*, 1014
Glaser, M., Cheesman, A. D., Russell, J. D., Bleach, N. R.
Brachytherapy for recurrent nasopharyngeal and naso-ethmoidal tumours. *Orig. Art.*, 115
Goddard, M. J., White, S. A.
Metastatic Hurthle cell tumour causing central airway obstruction. *Clin. Rec.*, 957
Goepfert, H., El-Naggar, A. K., Batsakis, J. G., Ordóñez, N. G., Luna, M. A.
Rhabdomyosarcoma of the adult head and neck: a clinicopathological and DNA ploidy study. *Orig. Art.*, 716
Golledge, J., Baguley, D., Hardy, D., Moffatt, D. A.
Clinical correlates of acoustic neuroma morphology. *Orig. Art.*, 290
Gormley, P. K., Callanan, V. P., Curran, A. J.
Xenograft versus autograft in tympanoplasty. *Orig. Art.*, 892
Goshen, S., Ophir, D.
Cystic hygroma of the parotid gland. *Rad. Focus*, 855
Gouliamos, A. D., Kailidou, E. D., Papailiou, J. G., Angeli, S. S., Athanassopoulou, A. C., Vlahos, L. L.
MRI features in a malignant glomus jugulare tumour. *Rad. Focus*, 1066
Grant, H. R., Brown, S. G., Robinson, P. J.
NdYAG Laser treatment of a glomus tympanicum tumour. *Clin. Rec.*, 236
Grant, W. E., Hopper, C., Speight, P. M., Macrobert, A. J., Bown, S. G.
Photodynamic therapy of malignant and premalignant lesions in patients with 'field cancerization' of the oral cavity. *Orig. Art.*, 1140
Gray, R. F., Baguley, D. M., Harries, M. Ll., Court, I., Lynch, C.
Profound deafness treated by the Ineraid multichannel intracochlear implant. *Orig. Art.*, 673
Gray, R. F., Wareing, M. J.
Foley catheter fixation in posterior epistaxis. *Short Comm.*, 1032
Grenman, R., Atula, T., Klemi, P.-J., Donath, K., Happonen, R.-P., Joensuu, H.
Basal cell adenocarcinoma of the parotid gland: a case report and review of the literature. *Path. Focus*, 862
Grymer, L. F., Illum, P., Hilberg, O.
Septoplasty and compensatory inferior turbinate hypertrophy: a randomized study evaluated by acoustic rhinometry. *Orig. Art.*, 413
Güney, E., Erkan, M., Tolu, I., Aslan, T.
Ultrasonography in laryngeal cancers. *Rad. Focus*, 65
Guragain, R., Friedman, D., Prasad, R., Weir, N., Kittle, P., Bridges, A.
Hearing impairment and ear pathology in Nepal. *Orig. Art.*, 395
Haixia, J., Hongzheng, S.
Combined therapy for carcinoma of the nasopharynx: a report of 49 cases. *Orig. Art.*, 201
Hald, J., Larsen, P. L.
Nasopharyngeal carcinoma in an HIV-positive patient causing severe morbidity and early death. *Clin. Rec.*, 149
Hamid, A. M., Alshaikhly, A.
Granular cell tumour of the larynx in an eight-year-old girl. *Clin. Rec.*, 940
Hamilton, J., Ramsden, R. T., Herdman, R. C. D., Boyd, P., Giles, E.
A review of patients attending a preliminary cochlear implant assessment clinic. *Orig. Art.*, 103
Hampal, S., Dingle, A. F., Flood, L. M., Kumar, B. U.
The mini-grommet and tympanosclerosis: results at two years. *Orig. Art.*, 108
Hanna, G. S., Dinnen, J. S., Singh, K. B.
Paraganglioma of the external auditory canal. *Clin. Rec.*, 228
Hansel, T. T., Williams, P. E., Drake-Lee, A. B., Thompson, R. A., Snow, D. G.
Sinus computerized tomography in primary hypogammaglobulinaemia. *Orig. Art.*, 1008
Happonen, R.-P., Joensuu, H., Grenman, R., Atula, T., Klemi, P.-J., Donath, K.
Basal cell adenocarcinoma of the parotid gland: a case report and review of the literature. *Path. Focus*, 862
Hara, A., Kusakari, J., Shinohara, A., Yamada, Y., Sato, N.
Intrusion of an incisor tooth into the contralateral frontal sinus following trauma. *Clin. Rec.*, 240
Harabuchi, Y., Suzuki, T., Asakura, K., Kataura, A., Ohguro, S., Himi, T.
Adult T-cell leukaemia-lymphoma in Waldeyer's ring: a report of three cases. *Clin. Rec.*, 960
Harcourt, J. P., Gallimore, A. P.
Leiomyoma of the paranasal sinuses. *Clin. Rec.*, 740
Hardy, D., Moffatt, D. A., Golledge, J., Baguley, D.
Clinical correlates of acoustic neuroma morphology. *Orig. Art.*, 290
Hardy, D. G., Moffat, D. A., Saunders, J. E., McElveen, J. T., McFerran, D. J.
Unusual cerebello-pontine angle tumours. *Orig. Art.*, 1087
Harries, M. Ll., Court, I., Lynch, C., Gray, R. F., Baguley, D. M.
Profound deafness treated by the Ineraid multichannel intracochlear implant. *Orig. Art.*, 673
Harries, M. Ll., Lynch, C. A., Moffat, D. A., Rudd, M. J.
Hearing loss fluctuating with blood sugar levels in Ménière's disease. *Clin. Rec.*, 620
Harris, R., Evans, D. G., Strachan, T., Neary, W. J., Newton, V. E., Vidler, M., Ramsden, R. T., Lye, R. H., Dutton, J. E. M., Richardson, P. L.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6
Harris, R., Lye, R., King, T. T., Evans, D. G. R., Ramsden, R., Huson, S. M.
Type 2 neurofibromatosis: the need for supraregional care? *Orig. Art.*, 401
Harrison, R., Mount, R., Wake, M., Takeno, S., Ibrahim, D.
Carboplatin ototoxicity: an animal model. *Orig. Art.*, 585

Harsten, G., Nettelbladt, U., Schalén, L., Kalm, O., Prellner, K.
Language development in children with recurrent acute otitis media during the first three years of life: follow-up study from birth to seven years of age. *Orig. Art.*, 407
Hartley, C., Mendelow, A. D.
Post-traumatic bilateral facial palsy. *Clin. Rec.*, 730
Hashiguchi, K., Kazuyama, Y., Ogawa, H.
Prolonged and recurrent tonsillitis associated with sexually transmitted *Chlamydia trachomatis*. *Orig. Art.*, 27
Hassan, W. U., Henderson, A. F.
Cough and stridor: who should investigate the patient? *Clin. Rec.*, 639
Healy, G. B., Ikeda, M., Tsuru, S., Ohmori, T., Kitahara, S., Inouye, T.
CO-N reaction—a new serological activity index—on Wegener's granulomatosis. *Orig. Art.*, 607
Healy, G. B., Kitahara, S., Ikeda, M., Ohmae, Y., Nakanoboh, M., Inouye, T.
Laryngeal closure at the level of the false cord for the treatment of aspiration. *Short Comm.*, 826
Heffner, D. K., Williams, S. B., Ellis, G. L., Meis, J. M.
Ossifying fibromyxoid tumour (of soft parts) of the head and neck: a clinicopathological and immunohistochemical study of nine cases. *Path. Focus*, 75
Hehar, S., Maw, A. R., Baer, S.
Tympanic membrane ossification. *Clin. Rec.*, 550
Helidonis, E., Velegrakis, G., Skoulakis, C., Bizakis, J., Segas, J.
Otorhinolaryngological diseases in the Minoan era. *Hist. Art.*, 879
Hellier, W., Whittam, D. E.
Haemangiopericytoma of the parotid salivary gland. *Clin. Rec.*, 1159
Hellquist, H. B., Villman, K., Westman, G., Davidsson, Å.
Malignant melanoma of the ear. *Orig. Art.*, 798
Henderson, A. F., Hassan, W. U.
Cough and stridor: who should investigate the patient? *Clin. Rec.*, 639
Herdman, R. C. D., Boyd, P., Giles, E., Hamilton, J., Ramsden, R. T.
A review of patients attending a preliminary cochlear implant assessment clinic. *Orig. Art.*, 103
Herdman, R. C. D., Charlton, A., Hinton, A. E., Freemont, A. J.
An *in vitro* comparison of the erbium: YAG laser and the carbon dioxide laser in laryngeal surgery. *Orig. Art.*, 908
Herdman, R. C. D., Gillespie, J. E., Ramsden, R. T.
Facial palsy after glomus tumour embolization. *Rad. Focus*, 963
Herdman, R. C. D., Morgan, K., Holt, P. J. L., Ramsden, R. T.
Type II collagen autoimmunity and Menière's disease. *Orig. Art.*, 994
Hilberg, O., Grymer, L. F., Illum, P.
Septoplasty and compensatory inferior turbinate hypertrophy: a randomized study evaluated by acoustic rhinometry. *Orig. Art.*, 413
Hilgers, F. J. M., Baris, G., Keus, R. B., Balm, A. J. M.
Pectoralis major muscle transposition: an adjunct to laryngeal preservation in severe chondroradionecrosis. *Clin. Rec.*, 748
Hilgers, F. J. M., Elias, M. M., Balm, A. J. M., Peterse, J. L., Keus, R. B.
Malignant schwannoma of the parapharyngeal space in von Recklinghausen's disease—a case report and review of literature. *Clin. Rec.*, 848
Hilgers, F. J. M., Mak-Kregar, S., Mooi, W. J., Balm, A. J. M.
Squamous cell carcinoma of the tonsillar region and the base of the tongue: a morphological and immunohistochemical comparative pilot study. *Orig. Art.*, 1129
Hill, B. T., Price, L. A., Shaw, H. J.
Larynx preservation after initial non-cisplatin containing combination chemotherapy plus radiotherapy, as opposed to surgical intervention with or without radiotherapy in previously untreated advance head and neck cancer: final analysis after 12 years follow-up. *Orig. Art.*, 211
Hill, J., Allan, W., Malhan, D., Williams, E. D.
Pressure exerted by head bandages used in otological surgery. *Orig. Art.*, 1110
Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Himi, T., Harabuchi, Y., Suzuki, T., Asakura, K., Kataura, A., Ohguro, S.
Adult T-cell leukaemia-lymphoma in Waldeyer's ring: a report of three cases. *Clin. Rec.*, 960
Hinton, A. E., Freemont, A. J., Herdman, R. C. D., Charlton, A.
An *in vitro* comparison of the erbium: YAG laser and the carbon dioxide laser in laryngeal surgery. *Orig. Art.*, 908
Hirano, M., Morimoto, M., Kanaseki, T., Tanaka, Y., Yoshida, Y.
Distribution of SP- and CGRP- immunoreactivity in the cat's larynx. *Orig. Art.*, 522
Hirano, M., Tanaka, Y., Yoshida, Y.
CGRP-immunoreactive cells supplying laryngeal sensory nerve fibres in the cat's nodose ganglion. *Orig. Art.*, 916
Hoare, T. J.
Pre-operative haemoglobin estimation in paediatric ENT surgery. *Orig. Art.*, 1146
Hobson, J. A., Stevenson, D. S., Proops, D. W., Wake, M. J. C., Deadman, M. J., Worrollo, S. J.
Osseointegrated implants in the management of childhood ear abnormalities: the initial Birmingham experience. *Orig. Art.*, 502
Hodgson, J., Hughes, A. P., Appleton, R. E.
Acquired aphasia without deafness in childhood—the Landau-Kleffner syndrome. *Clin. Rec.*, 623
Hoel, T., Olofsson, J., Scheel, O., Nordahl, S. H. G.
Tularemia: a differential diagnosis in oto-rhino-laryngology. *Orig. Art.*, 127
Holt, P. J. L., Ramsden, R. T., Herdman, R. C. D., Morgan, K.
Type II collagen autoimmunity and Menière's disease. *Orig. Art.*, 994
Hongzheng, S., Haixia, J.
Combined therapy for carcinoma of the nasopharynx: a report of 49 cases. *Orig. Art.*, 201
Hopper, C., Speight, P. M., Macrobert, A. J., Bown, S. G., Grant, W. E.
Photodynamic therapy of malignant and premalignant lesions in patients with 'field cancerization' of the oral cavity. *Orig. Art.*, 1140
Hopper, I., Lindsey, L. A.
Temporal bone dissection using a low cost miniature electric drill. *Short Comm.*, 721
Hordijk, G. J., Slootweg, P. J., Smit, F., Tweel, I. v. d., Ravasz, L. A.
Uni- and multivariate analysis of eight indications for post-operative radiotherapy and their significance for loco-regional cure in advanced head and neck cancer. *Orig. Art.*, 437
Howard, D. J., Briggs, R. J. S., Gallimore, A. P., Phelps, P. D.
Laryngeal imaging by computerized tomography and magnetic resonance following radiation therapy: a need for caution. *Rad. Focus*, 565
Huang, H., Jing, D., Li, Z., Zhou, S., Xiao, S., Ma, D., Zhang, R.
Analysis of lectin receptors in normal nasal mucosa, nasal polyp, inverted papilloma and papillary adenocarcinoma. *Orig. Art.*, 600
Hughes, A. P., Appleton, R. E., Hodgson, J.
Acquired aphasia without deafness in childhood—the Landau-Kleffner syndrome. *Clin. Rec.*, 623
Hughes, J. B., Lightfoot, G. R.
Bone conduction errors at high frequencies: implications for clinical and medico-legal practice. *Orig. Art.*, 305
Hung, H. Y., Lin, W. S.
Transnasal endoscopic surgery of sphenoid sinus aspergillosis. *Clin. Rec.*, 837
Huson, S. M., Harris, R., Lye, R., King, T. T., Evans, D. G. R., Ramsden, R.
Type 2 neurofibromatosis: the need for supraregional care? *Orig. Art.*, 401
Hwang, C.-F., Su, C.-Y.
Near total laryngopharyngectomy with pectoralis major myocutaneous flap in advanced pyriform carcinoma. *Orig. Art.*, 817
Hwang, C. F., Lin, C.-H., Su, C.-Y, Wu, C.-M.
External ear canal schwannoma: an unusual case report. *Clin. Rec.*, 829
Ibrahim, D., Harrison, R., Mount, R., Wake, M., Takeno, S.
Carboplatin ototoxicity: an animal model. *Orig. Art.*, 585
Ichimura, K., Tanaka, T.
Trismus in patients with malignant tumours in the head and neck. *Orig. Art.*, 1017
Ikeda, M., Ohmae, Y., Nakanoboh, M., Inouye, T., Healy, G. B., Kitahara, S.
Laryngeal closure at the level of the false cord for the treatment of aspiration. *Short Comm.*, 826
Ikeda, M., Tsuru, S., Ohmori, T., Kitahara, S., Inouye, T., Healy, G. B.
CO-N reaction—a new serological activity index—on Wegener's granulomatosis. *Orig. Art.*, 607
Illum, P., Hilberg, O., Grymer, L. F.
Septoplasty and compensatory inferior turbinate hypertrophy: a randomized study evaluated by acoustic rhinometry. *Orig. Art.*, 413
Ingels, K. J. A. O., Albers, F. W. J.
Otoneurological manifestations in Chiari-I malformation. *Clin. Rec.*, 441

Ingle, M. V., Mankekar, G., Nayak, S. R., Kirtane, M. V.
Fourth branchial arch fistula: a case report. *Clin. Rec.*, 458
Inouye, T., Healy, G. B., Ikeda, M., Tsuru, S., Ohmori, T., Kitahara, S.
CO-N reaction—a new serological activity index—on Wegener's granulomatosis. *Orig. Art.*, 607
Inouye, T., Healy, G. B., Kitahara, S., Ikeda, M., Ohmae, Y., Nakanoboh, M.
Laryngeal closure at the level of the false cord for the treatment of aspiration. *Short Comm.*, 826
Irvine, B., Al-Khabori, M. J. J., Natarajan, B., Thomas, M.
Naso-labial flap in the reconstruction of the floor of the mouth defects. *Orig. Art.*, 320
Irving, R. M., Moffat, D. A., Wareing, M. J.
Parapharyngeal space tumour presenting as recurrent uvular oedema. *Clin. Rec.*, 640
Irving, R. M., Parikh, A., Coumbe, A., Albert, D. M.
Melanotic neuroectodermal tumour of infancy. *Clin. Rec.*, 1045
Irwin, J., Doig, A., Vaughan-Jones, R. H., Padgham, N. D., Christmas, H. E.
One aid or two?—more visits please! *Orig. Art.*, 329
Itoh, K., Nobori, T., Fukuda, K., Furuta, S., Ohyama, M.
Chondrosarcoma of the hyoid bone. *Clin. Rec.*, 642
Itoh, M., Takimoto, T.
Parapharyngeal abscess associated with the second pharyngeal pouch. *Clin. Rec.*, 456
Jackson, S. R., Roland, N. J., Clarke, R. W., Jones, A. S.
Recurrent pleomorphic adenoma. *Orig. Art.*, 546
Jankauskas, R., Sakalinskas, V.
Clinical otosclerosis and auditory exostoses in ancient Europeans (investigation of Lithuanian paleoosteological samples). *Orig. Art.*, 489
Jefferis, A. F., Wallace, M., Reddy, K. T. V., Vinayak, B. C.
Primary radiotherapy for treating all laryngeal cancer: a district hospital experience. *Orig. Art.*, 434
Jefferis, A. J., Barrett, G. S., Pringle, M. B.
Sensorineural hearing loss caused by metastatic prostatic carcinoma: a case report. *Clin. Rec.*, 933
Jing, D., Li, Z., Zhou, S., Xiao, S., Ma, D., Zhang, R., Huang, H.
Analysis of lectin receptors in normal nasal mucosa, nasal polyp, inverted papilloma and papillary adenocarcinoma. *Orig. Art.*, 600
Job, A., Venkateswaran, S., Mathan, M., Krishnaswami, H., Raman, R.
Medical therapy of rhinosporidiosis with dapsone. *Orig. Art.*, 809
Joensuu, H., Grenman, R., Atula, T., Klemi, P.-J., Donath, K., Happonen, R.-P.
Basal cell adenocarcinoma of the parotid gland: a case report and review of the literature. *Path. Focus*, 862
John, D. G., Porter, M. J., van Hasselt, C. A.
Beware bleeding from the ear. *Clin. Rec.*, 137
John, D. G., Rhys Williams, S., Ahuja, A., Evans, R., To, K. F., King, W. W. K., van Hasselt, C. A.
Palpation compared with ultrasound in the assessment of malignant cervical lymph nodes. *Orig. Art.*, 821
John, D. G., van Hasselt, C. A., Choy, A. T. K.
Posterior epistaxis and the undeflatable Foley's urinary catheter balloon. *Clin. Rec.*, 142
Johnson, A. P., Nigam, A.
Suction polypectomy forceps. *Short Comm.*, 35
Johnson, I. J. M., Ravi, M., Campbell, J. B.
Renal derived epistaxis. *Clin. Rec.*, 144
Johnson, P. J. E., Al-Fallouji, H. K., Snow, D. G., Kuo, M. J.
Spontaneous retropharyngeal haematoma: two cases and a review of the literature. *Clin. Rec.*, 649
Jokinen, K. E., Siniluoto, T. M. J., Luotonen, J. P., Tikkakoski, T. A., Leinonen, A. S. S.
Value of pre-operative embolization in surgery for nasopharyngeal angiofibroma. *Orig. Art.*, 514
Jones, A. S., Jackson, S. R., Roland, N. J., Clarke, R. W.
Recurrent pleomorphic adenoma. *Orig. Art.*, 546
Jones, A. S., McCombe, A. W.
Radiotherapy and complications of laryngectomy. *Orig. Art.*, 130
Jones, A. S., Ravi, M., Stell, P. M.
The treatment of primary recurrence following laryngectomy for laryngeal carcinoma. *Orig. Art.*, 611
Jones, A. S., Roland, N. J., Caslin, A. W., Smith, P. A., Turnbull, L. S., Panarese, A.
Fine needle aspiration cytology of salivary gland lesions reported immediately in a head and neck clinic. *Orig. Art.*, 1025
Jones, E. L., Dhaliwal, J., Rowlands, D. C., Niedobitek, G., Williams, A., Das Gupta, A.
Nasal T-cell lymphoma associated with Epstein-Barr virus infection. *Path. Focus*, 468
Jones, N. S., Balsitis, M., Saunders, M. W.
Bilateral auricular pseudocyst: a case report and discussion. *Clin. Rec.*, 39
Jones, N. S., Saunders, M. W.
Periorbital abscess due to ethmoiditis in neonate. *Clin. Rec.*, 1043
Jorysz, G., Lorenz, R.
The globus syndrome: value of flexible endoscopy of the upper gastrointestinal tract. *Orig. Art.*, 535
Kacker, A., Bahadur, S., Singh, M.
Melanotic neuro-ectodermal tumour of infancy arising from the squamous and occipital bone. *Clin. Rec.*, 843
Kaddour, H. S.
Recurrent meningitis due to congenital fistula of the stape footplate. *Clin. Rec.*, 931
Kailidou, E. D., Papailiou, J. G., Angeli, S. S., Athanassopoulou, A. C., Vlahos, L. L., Gouliamos, A. D.
MRI features in a malignant glomus jugulare tumour. *Rad. Focus*, 1066
Kalm, O., Prellner, K., Harsten, G., Nettelbladt, U., Schalén, L.
Language development in children with recurrent acute otitis media during the first three years of life: follow-up study from birth to seven years of age. *Orig. Art.*, 407
Kamei, T., Shidara, K., Uruma, T., Yasuoka, Y.
Two cases of nasopharyngeal branchial cyst. *Clin. Rec.*, 453
Kameswaran, M., Murugan, V., Okafor, B. C., Thomas, R.
Sensorineural hearing loss in neurobrucellosis. *Clin. Rec.*, 1034
Kanaseki, T., Tanaka, Y., Yoshida, Y., Hirano, M., Morimoto, M.
Distribution of SP- and CGRP- immunoreactivity in the cat's larynx. *Orig. Art.*, 522
Kaneko, T., Nomoto, M., Nagao, K., Numata, T., Konno, A.
Synovial osteochondromatosis of the temporo-mandibular joint. *Clin. Rec.*, 742
Kangsanarak, J., Fooanant, S., Ruckphaopunt, K., Navacharoen, N., Teotrakul, S.
Extracranial and intracranial complications of suppurative otitis media: report of 102 cases. *Orig. Art.*, 999
Kantrowitz, A. B., Feghali, J. D.
Transcranial translabyrinthine approach to vestibular schwannomas. *Orig. Art.*, 111
Karjalainen, S., Pellinen, P., Vartiainen, E., Nuutinen, J.
Posterior crus stapedectomy. *Orig. Art.*, 795
Kataura, A., Ohguro, S., Himi, T., Harabuchi, Y., Suzuki, T., Asakura, K.
Adult T-cell leukaemia-lymphoma in Waldeyer's ring: a report of three cases. *Clin. Rec.*, 960
Katsuno, S., Sakaguchi, M., Moriya, K., Taguchi, K.
Bilateral carcinomas of the maxillary sinus. *Clin. Rec.*, 42
Kazuyama, Y., Ogawa, H., Hashiguchi, K.
Prolonged and recurrent tonsillitis associated with sexually transmitted *Chlamydia trachomatis*. *Orig. Art.*, 27
Keidan, R. D.
Recurrent laryngeal nerve palsy secondary to massive venous thrombosis. *Clin. Rec.*, 54
Kemper, J., Kuijper, E. J., Mirck, P. G. B., Balm, A. J. M.
Recovery from rhinocerebral mucormycosis in a ketoacidotic diabetic patient: a case report. *Clin. Rec.*, 233
Kerr, A. G., Kinsella, J. B.
Familial stapes superstructure fixation. *Clin. Rec.*, 36
Keus, R. B., Balm, A. J. M., Hilgers, F. J. M., Baris, G.
Pectoralis major muscle transposition: an adjunct to laryngeal preservation in severe chondroradionecrosis. *Clin. Rec.*, 748
Keus, R. B., Hilgers, F. J. M., Elias, M. M., Balm, A. J. M., Peterse, J. L.
Malignant schwannoma of the parapharyngeal space in von Recklinghausen's disease—a case report and review of literature. *Clin. Rec.*, 848
Khalifa, M. Ch., Saleh, S. Z., Abu Shara, K. A., Ghareeb, M. A., Zaher, S., Mobacher, A.
Radiotherapeutic effect on oropharyngeal flora in patients with head and neck cancer. *Orig. Art.*, 222
King, T. T., Evans, D. G. R., Ramsden, R., Huson, S. M., Harris, R., Lye, R.
Type 2 neurofibromatosis: the need for supraregional care? *Orig. Art.*, 401

King, W. W. K., van Hasselt, C. A., John, D. G., Rhys Williams, S., Ahuja, A., Evans, R., To, K. F.
Palpation compared with ultrasound in the assessment of malignant cervical lymph nodes. *Orig. Art.*, 821
Kinsella, J. B., Kerr, A. G.
Familial stapes superstructure fixation. *Clin. Rec.*, 36
Kirtane, M. V., Ingle, M. V., Mankekar, G., Nayak, S. R.
Fourth branchial arch fistula: a case report. *Clin. Rec.*, 458
Kishore, K., Nehru, V. I., Al-Khabori, M. J. J.
Ligation of the internal jugular vein in venous hum tinnitus. *Clin. Rec.*, 1037
Kitahara, S., Ikeda, M., Ohmae, Y., Nakanoboh, M., Inouye, T., Healy, G. B.
Laryngeal closure at the level of the false cord for the treatment of aspiration. *Short Comm.*, 826
Kitahara, S., Inouye, T., Healy, G. B., Ikeda, M., Tsuru, S., Ohmori, T.
CO-N reaction—a new serological activity index—on Wegener's granulomatosis. *Orig. Art.*, 607
Klemi, P.-J., Donath, K., Happonen, R.-P., Joensuu, H., Grenman, R., Atula, T.
Basal cell adenocarcinoma of the parotid gland: a case report and review of the literature. *Path. Focus*, 862
Knowles, C. H., Chevretton, E. B., Dilkes, M. G., Gautama, P.
Primary tracheal tuberculosis in an otherwise healthy 65-year-old caucasian woman. *Clin. Rec.*, 1052
Køksal, H., Özoran, Y., Muhtar, H., Telatar, M., Yildiz, K.
Papillary carcinoma in a thyroglossal duct remnant with normal thyroid gland. *Path. Focus*, 1174
Kong, N., Zahir, Z. M., Gendeh, B. S., Said, H., Gibb, A. G., Aziz, N. S.
Gentamicin ototoxicity in continuous ambulatory peritoneal dialysis. *Orig. Art.*, 681
Konno, A., Kaneko, T., Nomoto, M., Nagao, K., Numata, T.
Synovial osteochondromatosis of the temporo-mandibular joint. *Clin. Rec.*, 742
Kotecha, B., Evans, J. N. G., Morrison, G. A. J.
Ribavirin treatment for juvenile respiratory papillomatosis. *Orig. Art.*, 423
Kouloulas, A., Sombolos, K., Velegrakis, G., Nikolaou, A., Daniilidis, J., Fountzilas, G.
Supraglottic laryngectomy: experience with 66 patients over 20 years. *Orig. Art.*, 813
Krishnaswami, H., Raman, R., Job, A., Venkateswaran, S., Mathan, M.
Medical therapy of rhinosporidiosis with dapsone. *Orig. Art.*, 809
Kronenberg, J., Bendet, E., Findler, G., Roth, Y.
Cerebrospinal fluid (CSF) otorhinorrhoea following vestibular schwannoma surgery treated by extended subtotal petrosectomy with obliteration. *Orig. Art.*, 1122
Kuijper, E. J., Mirck, P. G. B., Balm, A. J. M., Kemper, J.
Recovery from rhinocerebral mucormycosis in a ketoacidotic diabetic patient: a case report. *Clin. Rec.*, 233
Kumar, B. U., Hampal, S., Dingle, A. F., Flood, L. M.
The mini-grommet and tympanosclerosis: results at two years. *Orig. Art.*, 108
Kumoi, T., Minatogawa, T., Nakamura Node, M., Fukuda, I.
Dermoid cyst in the middle ear. *Clin. Rec.*, 335
Kuo, M. J., Johnson, P. J. E., Al-Fallouji, H. K., Snow, D. G.
Spontaneous retropharyngeal haematoma: two cases and a review of the literature. *Clin. Rec.*, 649
Kusakari, J., Shinohara, A., Yamada, Y., Sato, N., Hara, A.
Intrusion of an incisor tooth into the contralateral frontal sinus following trauma. *Clin. Rec.*, 240
Kwan, C. Y. W., Stanley, R. E., Tow, S., Leong, H. K.
Malignant mesenchymoma of the retropharyngeal space. *Clin. Rec.*, 1165
Laccoureye, O., Merite-Drancy, A., Chabardes, E., Carnot, F., Renard, P., Donnadieu, S., Brasnu, D.
Implantation metastasis following percutaneous endoscopic gastrostomy. *Clin. Rec.*, 946
Lamont, D., Simpson, D., Robertson, A. G.
A comparison of radiotherapy and surgery as primary treatment in the management of T_3 N_0 M_0 glottic tumours. *Orig. Art.*, 912
Lannigan, F. J., O'Higgins, P., McPhie, P.
The cellular mechanism of ossicular erosion in chronic suppurative otitis media. *Orig. Art.*, 12
Larsen, P. L., Hald, J.
Nasopharyngeal carcinoma in an HIV-positive patient causing severe morbidity and early death. *Clin. Rec.*, 149
Lee, P. Y. C., Drysdale, A. J.
Tuberculous otitis media: a difficult diagnosis. *Clin. Rec.*, 339
Leighton, S. E. J., Rowe-Jones, J. M.
The value of head dressings for middle ear surgery. *Orig. Art.*, 17
Leinonen, A. S. S., Jokinen, K. E., Siniluoto, T. M. J., Luotonen, J. P., Tikkakoski, T. A.
Value of pre-operative embolization in surgery for nasopharyngeal angiofibroma. *Orig. Art.*, 514
Leong, H. K., Kwan, C. Y. W., Stanley, R. E., Tow, S.
Malignant mesenchymoma of the retropharyngeal space. *Clin. Rec.*, 1165
Li, Y.
The relationship between SIgA and chronic granular pharyngitis. *Orig. Art.*, 532
Li, Z., Zhou, S., Xiao, S., Ma, D., Zhang, R., Huang, H., Jing, D.
Analysis of lectin receptors in normal nasal mucosa, nasal polyp, inverted papilloma and papillary adenocarcinoma. *Orig. Art.*, 600
Lightfoot, G. R., Hughes, J. B.
Bone conduction errors at high frequencies: implications for clinical and medico-legal practice. *Orig. Art.*, 305
Lin, C.-H., Su, C.-Y, Wu, C.-M., Hwang, C. F.
External ear canal schwannoma: an unusual case report. *Clin. Rec.*, 829
Lin, W. S., Hung, H. Y.
Transnasal endoscopic surgery of sphenoid sinus aspergillosis. *Clin. Rec.*, 837
Lindsey, L. A., Hopper, I.
Temporal bone dissection using a low cost miniature electric drill. *Short Comm.*, 721
Ling, S. Y., Loh, F. C.
Acute osteomyelitis of the maxilla in the newborn. *Clin. Rec.*, 627
Little, P., Bridges, A., Guragain, R., Friedman, D., Prasad, R., Weir, N.
Hearing impairment and ear pathology in Nepal. *Orig. Art.*, 395
Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Livesey, J. R.
Are haematological tests warranted prior to tonsillectomy?. *Orig. Art.*, 205
Liu, X., Xu, L., Zhang, S., Xu, Y.
Prevalence and aetiology of profound deafness in the general population of Sichuan, China. *Orig. Art.*, 990.
Lødén, B., Berglund, J., Seidal, T., Theander, C.
Primary squamous carcinoma of the thyroid—a case report. *Clin. Rec.*, 1155
Loh, F. C., Ling, S. Y.
Acute osteomyelitis of the maxilla in the newborn. *Clin. Rec.*, 627
Lohela, P., Apaja-Sarkkinen, M., Tikkakoski, T., Stenfors, L-E., Typpö, T.
Parathyroid adenomas: pre-operative localization with ultrasound combined with fine-needle biopsy. *Orig. Art.*, 543
Lokman, S., Sani, A., Sidek, D. S.
Pyopneumothorax—a rare sequelae of retropharyngeal abscess. *Clin. Rec.*, 460
Lomas, D. A., Barnes, P. R. J.
Repeated insertion of foreign bodies into the tracheobronchial tree via tracheostomy. *Clin. Rec.*, 359
Lopez, J. I., Elizalde, J. M., Eizaguirre, B., Florencio, M. R.
Frozen section diagnosis in a jugulo-tympanic paraganglioma. *Path. Focus*, 755
Lorenz, R., Jorysz, G.
The globus syndrome: value of flexible endoscopy of the upper gastrointestinal tract. *Orig. Art.*, 535
Løtveit, T., Bakka, A., Boysen, M., Aasen, S.
Two simultaneously occurring hypopharyngo-oesophageal diverticula. *Clin. Rec.*, 49
Ludman, H., Andaz, C., Whittet, H. B.
An unusual cause of benign paroxysmal positional vertigo. *Clin. Rec.*, 1153
Luna, M. A., El-Naggar, A. K., Carrillo, R., Batsakis, J. G., Weber, R.
Salivary neoplasms of the palate: A flow cytometric and clinicopathological analysis. *Path. Focus*, 858
Luna, M. A., Goepfert, H., El-Naggar, A. K., Batsakis, J. G., Ordóñez, N. G.
Rhabdomyosarcoma of the adult head and neck: a clinicopathological and DNA ploidy study. *Orig. Art.*, 716

Lundell, C., Farrington, W. T., Woolford, T. J., Birzgalis, A. R.
Vomiting in pregnancy resulting in oesophageal perforation in a 15-year-old. *Clin. Rec.*, 1059
Luotonen, J. P., Tikkakoski, T. A., Leinonen, A. S. S., Jokinen, K. E., Siniluoto, T. M. J.
Value of pre-operative embolization in surgery for nasopharyngeal angiofibroma. *Orig. Art.*, 514
Lupovitch, A., Salama, D., Batmanghelichi, O.
Benign hamartomatous polyp of the palatine tonsil. *Path. Focus*, 1074
Luxford, W. M., Ramsay, H. A. W.
Treatment of acoustic tumours in elderly patients; is surgery warranted? *Orig. Art.*, 295
Luxon, L., Prasher, D., Mula, M.
Cortical evoked potential criteria in the objective assessment of auditory threshold: a comparison of noise induced hearing loss with Ménières disease. *Orig. Art.*, 780
Lye, R., King, T. T., Evans, D. G. R., Ramsden, R., Huson, S. M., Harris, R.
Type 2 neurofibromatosis: the need for supraregional care? *Orig. Art.*, 401
Lye, R. H., Dutton, J. E. M., Richardson, P. L., Harris, R., Evans, D. G., Strachan, T., Neary, W. J., Newton, V. E., Vidler, M., Ramsden, R. T.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6
Lynch, C., Gray, R. F., Baguley, D. M., Harries, M. Ll., Court, I.
Profound deafness treated by the Ineraid multichannel intracochlear implant. *Orig. Art.*, 673
Lynch, C. A., Moffat, D. A., Rudd, M. J., Harries, M. Ll.
Hearing loss fluctuating with blood sugar levels in Ménière's disease. *Clin. Rec.*, 620
Ma, D., Zhang, R., Huang, H., Jing, D., Li, Z., Zhou, S., Xiao, S.
Analysis of lectin receptors in normal nasal mucosa, nasal polyp, inverted papilloma and papillary adenocarcinoma. *Orig. Art.*, 600
MacDougall, G., Sanderson, R. J.
Altered dental sensation following intranasal surgery. *Orig. Art.*, 1011
Mackay, I. S., Cumberworth, V. L., Russell, J., Colquhoun, I.
Pneumatization of the uncinate process. *Rad. Focus*, 361
MacKenzie, K., Nicol, J. W., Stables, G. I.
Histiocytosis: an unusual cause of dysphagia, hoarseness and stridor. *Clin. Rec.*, 1061
Macrobert, A. J., Bown, S. G., Grant, W. E., Hopper, C., Speight, P. M.
Photodynamic therapy of malignant and premalignant lesions in pat ents with 'field cancerization' of the oral cavity. *Orig. Art.*, 1140
Magennis, J. P., Capper, R., Stewart, T. J.
An unusual presentation of oat cell carcinoma. *Clin. Rec.*, 559
Maharaj, T. J., Singh, B.
Radical mastoidectomy: its place in otitic intracranial complications. *Orig. Art.*, 1113
Mak-Kregar, S., Mooi, W. J., Balm, A. J. M., Hilgers, F. J. M.
Squamous cell carcinoma of the tonsillar region and the base of the tongue: a morphological and immunohistochemical comparative pilot study. *Orig. Art.*, 1129
Malhan, D., Williams, E. D., Hill, J., Allan, W.
Pressure exerted by head bandages used in otological surgery. *Orig. Art.*, 1110
Mallon, E. A., Vernham, G. A., Sadiq, H.
Nasal leishmaniasis. *Clin. Rec.*, 834
Mankekar, G., Nayak, S. R., Kirtane, M. V., Ingle, M. V.
Fourth branchial arch fistula: a case report. *Clin. Rec.*, 458
Manni, J. J., Ole-Lengine, L.
A strangulated antrochoanal polyp: a case report. *Clin. Rec.*, 342
Manohar, M. B., Boldy, D. A. R., Bryan, R. L., Pearman, K.
Penicillamine-induced changes in elastic tissue of the upper respiratory tract. *Clin. Rec.*, 62
Marco-Algarra, J., Giménez, F.
The prognostic value of mucociliary clearance in predicting success in tympanoplasty. *Orig. Art.*, 895
Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Martin-Hirsch, D. P., Newbegin, C. J. R.
Autosuture GIA gun: a new application in the treatment of hypopharyngeal diverticula. *Short Comm.*, 723
Martin-Hirsch, D. P., Smelt, G. J. C.
Conchal flap meatoplasty. *Short Comm.*, 1029
Mason, J., O'Flynn, P., Gibbin, K.
Cannabis in the external ear. *Clin. Rec.*, 444
Mathan, M., Krishnaswami, H., Raman, R., Job, A., Venkateswaran, S.
Medical therapy of rhinosporidiosis with dapsone. *Orig. Art.*, 809
Maw, A. R., Baer, S., Hehar, S.
Tympanic membrane ossification. *Clin. Rec.*, 550
Maynard, C. A., Watson, H. G., Denholm, S. W.
Warfarin and epistaxis—a case controlled study. *Orig. Art.*, 195
McCombe, A. W., Jones, A. S.
Radiotherapy and complications of laryngectomy. *Orig. Art.*, 130
McCombe, A. W., Richardson, H. C.
Carotid sinus syndrome in parapharyngeal tumours. *Clin. Rec.*, 955
McCormick, M. S., Ahmed, K.
Bay leaf: an unusual oesophageal foreign body. *Clin. Rec.*, 153
McElveen, J. T., McFerran, D. J., Hardy, D. G., Moffat, D. A., Saunders, J. E.
Unusual cerebello-pontine angle tumours. *Orig. Art.*, 1087
McFerran, D. J., Edmonds, S. E.
The use of balloon catheters in the treatment of epistaxis. *Orig. Art.*, 197
McFerran, D. J., Hardy, D. G., Moffat, D. A., Saunders, J. E., McElveen, J. T.
Unusual cerebello-pontine angle tumours. *Orig. Art.*, 1087
McIlwain, J. C., Flanagan, P. M.
Tuberculosis of the larynx in a lepromatous patient. *Clin. Rec.*, 845
McPhie, P., Lannigan, F. J., O'Higgins, P.
The cellular mechanism of ossicular erosion in chronic suppurative otitis media. *Orig. Art.*, 12
McShane, D. P., Alun-Jones, T., Walsh, M., Russell, J. D., Donnelly, M.
What causes acute otitis externa? *Orig. Art.*, 898
McShane, D. P., Donnelly, M. J., Considine, N.
Upper airway invasion by well-differentiated thyroid carcinoma. *Clin. Rec.*, 752
Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Meis, J. M., Heffner, D. K., Williams, S. B., Ellis, G. L.
Ossifying fibromyxoid tumour (of soft parts) of the head and neck: a clinicopathological and immunohistochemical study of nine cases. *Path. Focus*, 75
Mendelow, A. D., Hartley, C.
Post-traumatic bilateral facial palsy. *Clin. Rec.*, 730
Mendelsohn, M.
A guided approach to surgery for aspiration: two case reports. *Orig. Art.*, 121
Merite-Drancy, A., Chabardes, E., Carnot, F., Renard, P., Donnadieu, S., Brasnu, D., Laccoureye, O.
Implantation metastasis following percutaneous endoscopic gastrostomy. *Clin. Rec.*, 946
Meyer, H. E., van Leeuwen, J. P. P. M., Cremers, C. W. R. J., Thijssen, H. O. M.
Unchanged unilateral hearing loss and ipsilateral growth of an acoustic neuroma from 1 to 4 cm. *Clin. Rec.*, 230
Michaels, L., Phelps, P. D., Proops, D., Sellars, S., Evans, J.
Congenital cerebrospinal fluid fistula through the inner ear and meningitis. *Orig. Art.*, 492
Milford, C. A., Watters, G. W. R.
Isolated sphenoid sinusitis due to *Pseudallescheria boydii*. *Clin. Rec.*, 344
Mills, R. P.
The use of cortical bone grafts in ossiculoplasty I: Surgical techniques . and hearing results. *Orig. Art.*, 686
Milton, C. M., Sergeant, R. J., Shotton, J. C., Russell, G. A.
Extra-pharyngeal neck pathology complicating pharyngeal pouch surgery. *Clin. Rec.*, 1163
Milton, C. M., Shotton, J. C., Premachandran, D. J., Woodward, B. M., Fabre, J. W., Sergeant, R. J.
A new technique using cultured epithelial sheets for the management of epistaxis associated with hereditary haemorrhagic telangiectasia. *Orig. Art.*, 510
Minatogawa, T., Nakamura Node, M., Fukuda, I., Kumoi, T.
Dermoid cyst in the middle ear. *Clin. Rec.*, 335

Mirck, P. G. B., Balm, A. J. M., Kemper, J., Kuijper, E. J.
Recovery from rhinocerebral mucormycosis in a ketoacidotic diabetic patient: a case report. *Clin. Rec.*, 233
Mitchell, D. B., Toynton, S., Fitzgerald O'Connor, A. F., Al-Saati, A.
Post laryngectomy diverticulum—a case report. *Clin. Rec.*, 46
Mobacher, A., Khalifa, M. Ch., Saleh, S. Z., Abu Shara, K. A., Ghareeb, M. A., Zaher, S.
Radiotherapeutic effect on oropharyngeal flora in patients with head and neck cancer. *Orig. Art.*, 222
Mochimatsu, I., Tsukuda, M., Furukawa, S., Sawaki, S.
Tumours metastasizing to the head and neck—a report of seven cases. *Clin. Rec.*, 1171
Mochimatsu, I., Tsukuda, M., Sawaki, S., Nakatani, Y.
Extramedullary plasmacytoma of the larynx. *Clin. Rec.*, 1049
Mochon, A., Esteban, F., Moreno, J. A., Delgado-Rodriguez, M.
Risk factors involved in stomal recurrence following laryngectomy. *Orig. Art.*, 527
Moffat, D. A., Rudd, M. J., Harries, M. Ll., Lynch, C. A.
Hearing loss fluctuating with blood sugar levels in Ménière's disease. *Clin. Rec.*, 620
Moffat, D. A., Saunders, J. E., McElveen, J. T., McFerran, D. J., Hardy, D. G.
Unusual cerebello-pontine angle tumours. *Orig. Art.*, 1087
Moffat, D. A., Wareing, M. J., Irving, R. M.
Parapharyngeal space tumour presenting as recurrent uvular oedema. *Clin. Rec.*, 640
Moffatt, D. A., Golledge, J., Baguley, D., Hardy, D.
Clinical correlates of acoustic neuroma morphology. *Orig. Art.*, 290
Møller, H., Parving, A., Buchwald, C., Tos, M., Thomsen, J.
Observer variations in the evaluation of facial nerve function after acoustic neuroma surgery. *Orig. Art.*, 1119
Montgomery, P. Q., Reading, N., Pracy, J. P. M.
Acute pneumonitis caused by low density barium sulphate aspiration. *Clin. Rec.*, 347
Montgomery, P. Q., Srinivasan, V., Prior, A. J.
Eye protection in ear, nose and throat surgery. *Short Comm.*, 618
Mooi, W. J., Balm, A. J. M., Hilgers, F. J. M., Mak-Kregar, S.
Squamous cell carcinoma of the tonsillar region and the base of the tongue: a morphological and immunohistochemical comparative pilot study. *Orig. Art.*, 1129
Moore-Gillon, V., Rowe-Jones, J. M., Adam, E. J.
Subtle diagnostic markers of orbital floor blow-out fracture on coronal CT scan. *Rad. Focus*, 161
Moreno, J. A., Delgado-Rodriguez, M., Mochon, A., Esteban, F.
Risk factors involved in stomal recurrence following laryngectomy. *Orig. Art.*, 527
Morgan, D. W., Glaholm, J., Brooks, J. P.
Twelve cases of glottic carcinoma *in situ* treated by radiotherapy: an observation on clinical course versus response. *Orig. Art.*, 1014
Morgan, K., Holt, P. J. L., Ramsden, R. T., Herdman, R. C. D.
Type II collagen autoimmunity and Menière's disease. *Orig. Art.*, 994
Morimoto, M., Kanaseki, T., Tanaka, Y., Yoshida, Y., Hirano, M.
Distribution of SP- and CGRP- immunoreactivity in the cat's larynx. *Orig. Art.*, 522
Moriya, K., Taguchi, K., Katsuno, S., Sakaguchi, M.
Bilateral carcinomas of the maxillary sinus. *Clin. Rec.*, 42
Morrison, G. A. J., Clary, R. A., Bailey, C. M., Al-Saati, A.
Surgical decannulation of children with tracheostomy. *Orig. Art.*, 217
Morrison, G. A. J., Kotecha, B., Evans, J. N. G.
Ribavirin treatment for juvenile respiratory papillomatosis. *Orig. Art.*, 423
Mount, R., Wake, M., Takeno, S., Ibrahim, D., Harrison, R.
Carboplatin ototoxicity: an animal model. *Orig. Art.*, 585
Muhtar, H., Telatar, M., Yildiz, K., Køksal, H., Özoran, Y.
Papillary carcinoma in a thyroglossal duct remnant with normal thyroid gland. *Path. Focus*, 1174
Mula, M., Luxon, L., Prasher, D.
Cortical evoked potential criteria in the objective assessment of auditory threshold: a comparison of noise induced hearing loss with Ménières disease. *Orig. Art.*, 780
Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Murty, G. E., Gibbin, K. P., Bath, A. P.
Munchausen syndrome by proxy: otolaryngologists beware! *Clin. Rec.*, 151
Murugan, V., Okafor, B. C., Thomas, R., Kameswaran, M.
Sensorineural hearing loss in neurobrucellosis. *Clin. Rec.*, 1034
Mustafa, E., Tahsin, A.
Cefotaxmine prophylaxis in major non contaminated head and neck surgery: one-day *vs* seven-day therapy. *Orig. Art.*, 30
Myatt, H. M., Ajulo, S. O., Osiname, A. I.
Sensorineural hearing loss in sickle cell anaemia—a United Kingdom study. *Orig. Art.*, 790
Naganoor, I. A., Vijayakumar, M., Shenoy, A. M., Nanjundappa, M., Nayak, U. K., Bhargava, A. K.
Scalp flap—a utility and reconstructive option for head and neck surgeons. *Orig. Art.*, 324
Nagao, K., Numata, T., Konno, A., Kaneko, T., Nomoto, M.
Synovial osteochondromatosis of the temporo-mandibular joint. *Clin. Rec.*, 742
Naguib, M., Russo, A., Taibah, A. K., Sanna, M., Saleh, E.
Vascular malformation of the internal auditory canal. *Clin. Rec.*, 1039
Nakamura Node, M., Fukuda, I., Kumoi, T., Minatogawa, T.
Dermoid cyst in the middle ear. *Clin. Rec.*, 335
Nakanoboh, M., Inouye, T., Healy, G. B., Kitahara, S., Ikeda, M., Ohmae, Y.
Laryngeal closure at the level of the false cord for the treatment of aspiration. *Short Comm.*, 826
Nakatani, Y., Mochimatsu, I., Tsukuda, M., Sawaki, S.
Extramedullary plasmacytoma of the larynx. *Clin. Rec.*, 1049
Nanjundappa, M., Nayak, U. K., Bhargava, A. K., Naganoor, I. A., Vijayakumar, M., Shenoy, A. M.
Scalp flap—a utility and reconstructive option for head and neck surgeons. *Orig. Art.*, 324
Natarajan, B., Thomas, M., Irvine, B., Al-Khabori, M. J. J.
Naso-labial flap in the reconstruction of the floor of the mouth defects. *Orig. Art.*, 320
Natarajan, B., Thomas, M. R., Ward, K., Al-Khabori, M.
Oncocytic mixed nasal tumour. *Clin. Rec.*, 732
Natvig, K., Boysen, M., Tausjø, J.
Fistulas following laryngectomy in patients treated with irradiation. *Orig. Art.*, 1136
Navacharoen, N., Teotrakul, S., Kangsanarak, J., Fooanant, S., Ruckphaopunt, K.
Extracranial and intracranial complications of suppurative otitis media: report of 102 cases. *Orig. Art.*, 999
Nayak, S. R., Kirtane, M. V., Ingle, M. V., Mankekar, G.
Fourth branchial arch fistula: a case report. *Clin. Rec.*, 458
Nayak, U. K., Bhargava, A. K., Naganoor, I. A., Vijayakumar, M., Shenoy, A. M., Nanjundappa, M.
Scalp flap—a utility and reconstructive option for head and neck surgeons. *Orig. Art.*, 324
Neary, W. J., Newton, V. E., Vidler, M., Ramsden, R. T., Lye, R. H., Dutton, J. E. M., Richardson, P. L., Harris, R., Evans, D. G., Strachan, T.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6
Nehru, V. I., Al-Khabori, M. J. J., Kishore, K.
Ligation of the internal jugular vein in venous hum tinnitus. *Clin. Rec.*, 1037
Nettelbladt, U., Schalén, L., Kalm, O., Prellner, K., Harsten, G.
Language development in children with recurrent acute otitis media during the first three years of life: follow-up study from birth to seven years of age. *Orig. Art.*, 407
Newbegin, C. J. R., Martin-Hirsch, D. P.
Autosuture GIA gun: a new application in the treatment of hypopharyngeal diverticula. *Short Comm.*, 723
Newton, V. E., Vidler, M., Ramsden, R. T., Lye, R. H., Dutton, J. E. M., Richardson, P. L., Harris, R., Evans, D. G., Strachan, T., Neary, W. J.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6
Ngayama, I., Nishimura, T., Furukawa, M.
Malignant schwannoma arising in a paranasal sinus. *Clin. Rec.*, 146
Nicol, J. W., Stables, G. I., MacKenzie, K.
Histiocytosis: an unusual cause of dysphagia, hoarseness and stridor. *Clin. Rec.*, 1061
Niedobitek, G., Williams, A., Das Gupta, A., Jones, E. L., Dhaliwal, J., Rowlands, D. C.
Nasal T-cell lymphoma associated with Epstein-Barr virus infection. *Path. Focus*, 468
Nigam, A., Johnson, A. P.
Suction polypectomy forceps. *Short Comm.*, 35

Nikolaou, A., Daniilidis, J., Fountzilas, G., Kouloulas, A., Sombolos, K., Velegrakis, G.
Supraglottic laryngectomy: experience with 66 patients over 20 years. *Orig. Art.*, 813
Nishimura, T., Furukawa, M., Ngayama, I.
Malignant schwannoma arising in a paranasal sinus. *Clin. Rec.*, 146
Nobori, T., Fukuda, K., Furuta, S., Ohyama, M., Itoh, K.
Chondrosarcoma of the hyoid bone. *Clin. Rec.*, 642
Nomoto, M., Nagao, K., Numata, T., Konno, A., Kaneko, T.
Synovial osteochondromatosis of the temporo-mandibular joint. *Clin. Rec.*, 742
Nordahl, S. H. G., Hoel, T., Olofsson, J., Scheel, O.
Tularemia: a differential diagnosis in oto-rhino-laryngology. *Orig. Art.*, 127
Norré, M. E.
Sensory interaction testing in platform posturography. *Orig. Art.*, 496
Numata, T., Konno, A., Kaneko, T., Nomoto, M., Nagao, K.
Synovial osteochondromatosis of the temporo-mandibular joint. *Clin. Rec.*, 742
Nuutinen, J., Karjalainen, S., Pellinen, P., Vartiainen, E.
Posterior crus stapedectomy. *Orig. Art.*, 795
O'Connell, J. E., George, M. K., Speculand, B., Pahor, A. L.
Mycobacterial infection of the parotid gland: an unusual cause of parotid swelling. *Clin. Rec.*, 561
O'Dwyer, T. P., Blayney, A., Curran, A. J.
Emergency tracheostomy in a patient with Melnick-Needles Syndrome and sleep apnoea. *Clin. Rec.*, 647
O'Flynn, P., Gibbin, K., Mason, J.
Cannabis in the external ear. *Clin. Rec.*, 444
O'Flynn, P., Saleh, H. A.
Prostatic metastases in the nose and paranasal sinuses. *Clin. Rec.*, 629
Ogawa, H., Hashiguchi, K., Kazuyama, Y.
Prolonged and recurrent tonsillitis associated with sexually transmitted *Chlamydia trachomatis*. *Orig. Art.*, 27
Ohguro, S., Himi, T., Harabuchi, Y., Suzuki, T., Asakura, K., Kataura, A.
Adult T-cell leukaemia-lymphoma in Waldeyer's ring: a report of three cases. *Clin. Rec.*, 960
O'Higgins, P., McPhie, P., Lannigan, F. J.
The cellular mechanism of ossicular erosion in chronic suppurative otitis media. *Orig. Art.*, 12
Ohkubo, K., Seki, H., Ohnishi, M., Fujikura, T., Otsuka, H.
Mast cell quantitation in nasal polyps, sinus mucosa and nasal turbinate mucosa. *Orig. Art.*, 418
Ohmae, Y., Nakanoboh, M., Inouye, T., Healy, G. B., Kitahara, S., Ikeda, M.
Laryngeal closure at the level of the false cord for the treatment of aspiration. *Short Comm.*, 826
Ohmori, T., Kitahara, S., Inouye, T., Healy, G. B., Ikeda, M., Tsuru, S.
CO-N reaction—a new serological activity index—on Wegener's granulomatosis. *Orig. Art.*, 607
Ohnishi, M., Fujikura, T., Otsuka, H., Ohkubo, K., Seki, H.
Mast cell quantitation in nasal polyps, sinus mucosa and nasal turbinate mucosa. *Orig. Art.*, 418
Ohyama, M., Itoh, K., Nobori, T., Fukuda, K., Furuta, S.
Chondrosarcoma of the hyoid bone. *Clin. Rec.*, 642
Okafor, B. C., Thomas, R., Kameswaran, M., Murugan, V.
Sensorineural hearing loss in neurobrucellosis. *Clin. Rec.*, 1034
O'Keefe, L., Adcock, S., Dawes, P. J. D.
Informed consent: using a structured interview changes patient's attitudes towards informed consent. *Orig. Art.*, 775
O'Keeffe, L., Shaw, J., Birzgalis, A. R., Farrington, W. T.
Localized tracheopathia osteoplastica of the subglottis. *Clin. Rec.*, 352
O'Keeffe, L. J., Ramsden, R. T., Birzgalis, A. R.
Cerebellopontine angle lipoma. *Clin. Rec.*, 553
Primary synovial sarcoma of the middle ear. *Path. Focus*, 1071
Ole-Lengine, L., Manni, J. J.
A strangulated antrochoanal polyp: a case report. *Clin. Rec.*, 342
Olofsson, J., Scheel, O., Nordahl, S. H. G., Hoel, T.
Tularemia: a differential diagnosis in oto-rhino-laryngology. *Orig. Art.*, 127
Olsen, E. G., Stenfors, L.-E.
The behaviour of tympanic membrane perforations in tissue culture: a scanning electron microscopic study. *Orig. Art.*, 1106
Önder, T., Aktaş, D., Özünlü, A., Dündar, A., Dereköy, S.
Undifferentiated carcinoma with lymphoid stroma of the parotid gland. *Path. Focus*, 1177
Ophir, D., Goshen, S.
Cystic hygroma of the parotid gland. *Rad. Focus*, 855
Ophir, D., Ruchvarger, E., Cordoba, M.
Angioleiomyoma of the nasal tip. *Clin. Rec.*, 448
Ordóñez, N. G., Luna, M. A., Goepfert, H., El-Naggar, A. K., Batsakis, J. G.
Rhabdomyosarcoma of the adult head and neck: a clinicopathological and DNA ploidy study. *Orig. Art.*, 716
Osiname, A. I., Myatt, H. M., Ajulo, S. O.
Sensorineural hearing loss in sickle cell anaemia—a United Kingdom study. *Orig. Art.*, 790
Otsuka, H., Ohkubo, K., Seki, H., Ohnishi, M., Fujikura, T.
Mast cell quantitation in nasal polyps, sinus mucosa and nasal turbinate mucosa. *Orig. Art.*, 418
Owen, G., Berry, J., Bicknell, P.
Hamartoma of the tongue. *Path. Focus*, 363
Özoran, Y., Muhtar, H., Telatar, M., Yildiz, K., Køksal, H.
Papillary carcinoma in a thyroglossal duct remnant with normal thyroid gland. *Path. Focus*, 1174
Özünlü, A., Dündar, A., Dereköy, S., Önder, T., Aktaş, D.
Undifferentiated carcinoma with lymphoid stroma of the parotid gland. *Path. Focus*, 1177
Padgham, N. D., Christmas, H. E., Irwin, J., Doig, A., Vaughan-Jones, R. H.
One aid or two?—more visits please! *Orig. Art.*, 329
Padgham, N. D., Parham, D. M.
Post-surgical necrotizing palisading granuloma of the nose. *Path. Focus*, 656
Pahor, A. L., O'Connell, J. E., George, M. K., Speculand, B.
Mycobacterial infection of the parotid gland: an unusual cause of parotid swelling. *Clin. Rec.*, 561
Pahor, A. L., Violaris, N. S.
A variation of first branchial cleft anomalies. *Clin. Rec.*, 625
Panarese, A., Jones, A. S., Roland, N. J., Caslin, A. W., Smith, P. A., Turnbull, L. S.
Fine needle aspiration cytology of salivary gland lesions reported immediately in a head and neck clinic. *Orig. Art.*, 1025
Pande, R. M., Singh, A. M., Bahadur, S., Tandon, D. A.
Anterior mandibulotomy for oral and oropharyngeal tumours. *Orig. Art.*, 316
Papailiou, J. G., Angeli, S. S., Athanassopoulou, A. C., Vlahos, L. L., Gouliamos, A. D., Kailidou, E. D.
MRI features in a malignant glomus jugulare tumour. *Rad. Focus*, 1066
Parham, D. M., Padgham, N. D.
Post-surgical necrotizing palisading granuloma of the nose. *Path. Focus*, 656
Parikh, A., Coumbe, A., Albert, D. M., Irving, R. M.
Melanotic neuroectodermal tumour of infancy. *Clin. Rec.*, 1045
Parker, A. J., Vaughan, M. M.
Idiopathic spontaneous tonsillar haemorrhage. *Clin. Rec.*, 44
Parving, A., Buchwald, C., Tos, M., Thomsen, J., Møller, H.
Observer variations in the evaluation of facial nerve function after acoustic neuroma surgery. *Orig. Art.*, 1119
Pearman, K., Manohar, M. B., Boldy, D. A. R., Bryan, R. L.
Penicillamine-induced changes in elastic tissue of the upper respiratory tract. *Clin. Rec.*, 62
Pearson, C. R., Riden, K., Thomas, M. R., Garth, R. J. N., Fenton, C. J.
The tracheostomal washer: a simple aid for tracheo-oesophageal speakers with a large tracheostome. *Short Comm.*, 824
Pejrone, M. D., Rossi, G., Actis, R., Solero, P., Rolando, M.
Cochlear interdependence and micromechanics in man and their relations with the activity of the medial olivocochlear efferent system (MOES). *Orig. Art.*, 883
Pellinen, P., Vartiainen, E., Nuutinen, J., Karjalainen, S.
Posterior crus stapedectomy. *Orig. Art.*, 795
Perineau, D., Boussin, G., Serrano, E., De Forni, M., Pessey, J. J., Daly-Schveitzer, N. J., Bachaud, J. M., David, J. M., Shubinski, R. E.
Predictive factors of a complete response to and adverse effects of a CDDP–5FU combination as primary therapy for head and neck squamous carcinomas. *Orig. Art.*, 924
Perry, A. R., Cheesman, A. D., Scott, P. M. J., Bleach, N. R.
Complications of pharyngeal myotomy for alaryngeal voice rehabilitation. *Orig. Art.*, 430
Pessey, J. J., Daly-Schveitzer, N. J., Bachaud, J. M., David, J. M., Shubinski, R. E., Perineau, D., Boussin, G., Serrano, E., De Forni, M.
Predictive factors of a complete response to and adverse effects of a CDDP–5FU combination as primary therapy for head and neck squamous carcinomas. *Orig. Art.*, 924

Peterse, J. L., Keus, R. B., Hilgers, F. J. M., Elias, M. M., Balm, A. J. M.
Malignant schwannoma of the parapharyngeal space in von Recklinghausen's disease—a case report and review of literature. *Clin. Rec.*, 848
Phelps, P. D., Howard, D. J., Briggs, R. J. S., Gallimore, A. P.
Laryngeal imaging by computerized tomography and magnetic resonance following radiation therapy: a need for caution. *Rad. Focus*, 565
Phelps, P. D., Proops, D., Sellars, S., Evans, J., Michaels, L.
Congenital cerebrospinal fluid fistula through the inner ear and meningitis. *Orig. Art.*, 492
Phelps, P. D., Stevenson, D. S., Proops, D. W.
Severe cochlear dysplasia causing recurrent meningitis: a surgical lesson. *Clin. Rec.*, 726
Phillips, S. M., Safneck, J. R., Alguacil-Garcia, A., Dort, J. C.
Solitary fibrous tumour: report of two new locations in the upper respiratory tract. *Path. Focus*, 252
Porter, M. J., van Hasselt, C. A., John, D. G.
Beware bleeding from the ear. *Clin. Rec.*, 137
Powell, D., Radford, K., Rogers, S. N., Batch, A.
"The holiday plug": a temporary solution to the problem of the leaking voice prosthesis. *Short Comm.*, 1149
Pracy, J. P. M., Montgomery, P. Q., Reading, N.
Acute pneumonitis caused by low density barium sulphate aspiration. *Clin. Rec.*, 347
Prasad, R., Weir, N., Little, P., Bridges, A., Guragain, R., Friedman, D.
Hearing impairment and ear pathology in Nepal. *Orig. Art.*, 395
Prasher, D., Mula, M., Luxon, L.
Cortical evoked potential criteria in the objective assessment of auditory threshold: a comparison of noise induced hearing loss with Ménières disease. *Orig. Art.*, 780
Prellner, K., Harsten, G., Nettelbladt, U., Schalén, L., Kalm, O.
Language development in children with recurrent acute otitis media during the first three years of life: follow-up study from birth to seven years of age. *Orig. Art.*, 407
Premachandran, D. J., Woodward, B. M., Fabre, J. W., Sergeant, R. J., Milton, C. M., Shotton, J. C.
A new technique using cultured epithelial sheets for the management of epistaxis associated with hereditary haemorrhagic telangiectasia. *Orig. Art.*, 510
Price, L. A., Shaw, H. J., Hill, B. T.
Larynx preservation after initial non-cisplatin containing combination chemotherapy plus radiotherapy, as opposed to surgical intervention with or without radiotherapy in previously untreated advance head and neck cancer: final analysis after 12 years follow-up. *Orig. Art.*, 211
Primrose, W. J., Vaughan, C. W., Cullen, J. R.
Osteomyelitis as a complication of a tracheo-oesophageal puncture. *Clin. Rec.*, 242
Pringle, M. B.
Grommets, swimming and otorrhoea—a review. *Orig. Art.*, 190
Pringle, M. B., Jefferis, A. J., Barrett, G. S.
Sensorineural hearing loss caused by metastatic prostatic carcinoma: a case report. *Clin. Rec.*, 933
Pringle, M. B., Thompson, A., Reddy, K.
A comparison of speech audiometry and pure tone audiometry in patients with secretory otitis media. *Orig. Art.*, 787
Prinsley, P. R., Robinson, P. J., Davis, J. P.
Cervical lymphadenopathy due to mycobacterial infection: a diagnostic protocol. *Orig. Art.*, 614
Prior, A. J., Montgomery, P. Q., Srinivasan, V.
Eye protection in ear, nose and throat surgery. *Short Comm.*, 618
Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Proops, D., Sellars, S., Evans, J., Michaels, L., Phelps, P. D.
Congenital cerebrospinal fluid fistula through the inner ear and meningitis. *Orig. Art.*, 492
Proops, D. W., Phelps, P. D., Stevenson, D. S.
Severe cochlear dysplasia causing recurrent meningitis: a surgical lesson. *Clin. Rec.*, 726
Proops, D. W., Wake, M. J. C., Deadman, M. J., Worrollo, S. J., Hobson, J. A., Stevenson, D. S.
Osseointegrated implants in the management of childhood ear abnormalities: the initial Birmingham experience. *Orig. Art.*, 502
Radford, K., Rogers, S. N., Batch, A., Powell, D.
"The holiday plug": a temporary solution to the problem of the leaking voice prosthesis. *Short Comm.*, 1149
Rajah, V.
A wooden orbital foreign body. *Clin. Rec.*, 735
Rajah, V., Essa, A.
Histoplasmosis of the oral cavity, oropharynx and larynx. *Clin. Rec.*, 58
Rajan, N., Santhosh Pai, U., Rajan, R., Rajan, R.
Gastric pull-up by eversion stripping of oesophagus. *Orig. Art.*, 1021
Rajan, R., Rajan, N., Santhosh Pai, U., Rajan, R.
Gastric pull-up by eversion stripping of oesophagus. *Orig. Art.*, 1021
Rajan, R., Rajan, R., Rajan, N., Santhosh Pai, U.
Gastric pull-up by eversion stripping of oesophagus. *Orig. Art.*, 1021
Raman, R., Cherian, T. A., Rupa, V.
External laryngeal trauma: analysis of thirty cases. *Orig. Art.*, 920
Raman, R., Job, A., Venkateswaran, S., Mathan, M., Krishnaswami, H.
Medical therapy of rhinosporidiosis with dapsone. *Orig. Art.*, 809
Ramsay, H. A. W., Luxford, W. M.
Treatment of acoustic tumours in elderly patients; is surgery warranted? *Orig. Art.*, 295
Ramsden, R., Huson, S. M., Harris, R., Lye, R., King, T. T., Evans, D. G. R.
Type 2 neurofibromatosis: the need for supraregional care? *Orig. Art.*, 401
Ramsden, R. T., Birzgalis, A. R., O'Keeffe, L. J.
Cerebellopontine angle lipoma. *Clin. Rec.*, 553
Primary synovial sarcoma of the middle ear. *Path. Focus*, 1071
Ramsden, R. T., Farrington, W. T., Small, M., Birzgalis, A. R.
Severe radionecrosis of the temporal bone. *Orig. Art.*, 183
Ramsden, R. T., Herdman, R. C. D., Boyd, P., Giles, E., Hamilton, J.
A review of patients attending a preliminary cochlear implant assessment clinic. *Orig. Art.*, 103
Ramsden, R. T., Herdman, R. C. D., Gillespie, J. E.
Facial palsy after glomus tumour embolization. *Rad. Focus*, 963
Ramsden, R. T., Herdman, R. C. D., Morgan, K., Holt, P. J. L.
Type II collagen autoimmunity and Menière's disease. *Orig. Art.*, 994
Ramsden, R. T., Lye, R. H., Dutton, J. E. M., Richardson, P. L., Harris, R., Evans, D. G., Strachan, T., Neary, W. J., Newton, V. E., Vidler, M.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6
Ravasz, L. A., Hordijk, G. J., Slootweg, P. J., Smit, F., Tweel, I. v. d.
Uni- and multivariate analysis of eight indications for post-operative radiotherapy and their significance for loco-regional cure in advanced head and neck cancer. *Orig. Art.*, 437
Ravi, M., Campbell, J. B., Johnson, I. J. M.
Renal derived epistaxis. *Clin. Rec.*, 144
Ravi, M., Stell, P. M., Jones, A. S.
The treatment of primary recurrence following laryngectomy for laryngeal carcinoma. *Orig. Art.*, 611
Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Reading, N., Pracy, J. P. M., Montgomery, P. Q.
Acute pneumonitis caused by low density barium sulphate aspiration. *Clin. Rec.*, 347
Reddy, K., Pringle, M. B., Thompson, A.
A comparison of speech audiometry and pure tone audiometry in patients with secretory otitis media. *Orig. Art.*, 787
Reddy, K. T. V., Vinayak, B. C., Jefferis, A. F., Wallace, M.
Primary radiotherapy for treating all laryngeal cancer: a district hospital experience. *Orig. Art.*, 434
Reddy, K. T. V., Vinayak, B. P.
Hibernoma in the parotid region. *Path. Focus*, 257
Renard, P., Donnadieu, S., Brasnu, D., Laccoureye, O., Merite-Drancy, A., Chabardes, E., Carnot, F.
Implantation metastasis following percutaneous endoscopic gastrostomy. *Clin. Rec.*, 946
Rhŷs Evans, P. H.
Knot to be condemned. *Short Comm.*, 33
Rhys Williams, S., Ahuja, A., Evans, R., To, K. F., King, W. W. K., van Hasselt, C. A., John, D. G.
Palpation compared with ultrasound in the assessment of malignant cervical lymph nodes. *Orig. Art.*, 821

Richardson, H. C., McCombe, A. W.
Carotid sinus syndrome in parapharyngeal tumours. *Clin. Rec.*, 955
Richardson, P. L., Harris, R., Evans, D. G., Strachan, T., Neary, W. J., Newton, V. E., Vidler, M., Ramsden, R. T., Lye, R. H., Dutton, J. E. M.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6
Riden, K., Thomas, M. R., Garth, R. J. N., Fenton, C. J., Pearson, C. R.
The tracheostomal washer: a simple aid for tracheo-oesophageal speakers with a large tracheostome. *Short Comm.*, 824
Rizzo, S., Frenguelli, A., Ruscito, P., Bicciolo, G.
Per-oral excision of a pharyngeal branchial cyst after MRI study. *Clin. Rec.*, 1054
Robertson, A. G., Lamont, D., Simpson, D.
A comparison of radiotherapy and surgery as primary treatment in the management of T_3 N_0 M_0 glottic tumours. *Orig. Art.*, 912
Robinson, P., Ryan, R., von Schoenberg, M.
Nasal packing after routine nasal surgery—is it justified? *Orig. Art.*, 902
Robinson, P. J., Davis, J. P., Prinsley, P. R.
Cervical lymphadenopathy due to mycobacterial infection: a diagnostic protocol. *Orig. Art.*, 614
Robinson, P. J., Grant, H. R., Brown, S. G.
NdYAG Laser treatment of a glomus tympanicum tumour. *Clin. Rec.*, 236
Rogers, S. N., Batch, A., Powell, D., Radford, K.
"The holiday plug": a temporary solution to the problem of the leaking voice prosthesis. *Short Comm.*, 1149
Roland, N. J., Caslin, A. W., Smith, P. A., Turnbull, L. S., Panarese, A., Jones, A. S.
Fine needle aspiration cytology of salivary gland lesions reported immediately in a head and neck clinic. *Orig. Art.*, 1025
Roland, N. J., Clarke, R. W., Jones, A. S., Jackson, S. R.
Recurrent pleomorphic adenoma. *Orig. Art.*, 546
Rolando, M., Pejrone, M. D., Rossi, G., Actis, R., Solero, P.
Cochlear interdependence and micromechanics in man and their relations with the activity of the medial olivocochlear efferent system (MOES). *Orig. Art.*, 883
Rossi, G., Actis, R., Solero, P., Rolando, M., Pejrone, M. D.
Cochlear interdependence and micromechanics in man and their relations with the activity of the medial olivocochlear efferent system (MOES). *Orig. Art.*, 883
Rossi, M., Garozzo, A.
Glottic reconstruction by implant of homologous laryngeal cartilages. *Orig. Art.*, 427
Roth, Y., Kronenberg, J., Bendet, E., Findler, G.
Cerebrospinal fluid (CSF) otorhinorrhoea following vestibular schwannoma surgery treated by extended subtotal petrosectomy with obliteration. *Orig. Art.*, 1122
Rowe-Jones, J. M., Adam, E. J., Moore-Gillon, V.
Subtle diagnostic markers of orbital floor blow-out fracture on coronal CT scan. *Rad. Focus*, 161
Rowe-Jones, J. M., Leighton, S. E. J.
The value of head dressings for middle ear surgery. *Orig. Art.*, 17
Rowlands, D. C., Niedobitek, G., Williams, A., Das Gupta, A., Jones, E. L., Dhaliwal, J.
Nasal T-cell lymphoma associated with Epstein-Barr virus infection. *Path. Focus*, 468
Rubin, J. S., Camacho, F. J., Tavin, M. E.
Sudden sensorineural hearing loss in haemoglobin SC disease. *Clin. Rec.*, 831
Ruchvarger, E., Cordoba, M., Ophir, D.
Angioleiomyoma of the nasal tip. *Clin. Rec.*, 448
Ruckphaopunt, K., Navacharoen, N., Teotrakul, S., Kangsanarak, J., Fooanant, S.
Extracranial and intracranial complications of suppurative otitis media: report of 102 cases. *Orig. Art.*, 999
Rudd, M. J., Harries, M. Ll., Lynch, C. A., Moffat, D. A.
Hearing loss fluctuating with blood sugar levels in Ménière's disease. *Clin. Rec.*, 620
Rupa, V., Raman, R., Cherian, T. A.
External laryngeal trauma: analysis of thirty cases. *Orig. Art.*, 920
Ruscito, P., Bicciolo, G., Rizzo, S., Frenguelli, A.
Per-oral excision of a pharyngeal branchial cyst after MRI study. *Clin. Rec.*, 1054
Russell, G. A., Milton, C. M., Sergeant, R. J., Shotton, J. C.
Extra-pharyngeal neck pathology complicating pharyngeal pouch surgery. *Clin. Rec.*, 1163
Russell, J., Colquhoun, I., Mackay, I. S., Cumberworth, V. L.
Pneumatization of the uncinate process. *Rad. Focus*, 361
Russell, J. D., Bleach, N. R., Glaser, M., Cheesman, A. D.
Brachytherapy for recurrent nasopharyngeal and naso-ethmoidal tumours. *Orig. Art.*, 115
Russell, J. D., Donnelly, M., McShane, D. P., Alun-Jones, T., Walsh, M.
What causes acute otitis externa? *Orig. Art.*, 898
Russo, A., Taibah, A. K., Sanna, M., Saleh, E., Naguib, M.
Vascular malformation of the internal auditory canal. *Clin. Rec.*, 1039
Ryan, R., von Schoenberg, M., Robinson, P.
Nasal packing after routine nasal surgery—is it justified? *Orig. Art.*, 902
Sadiq, H., Mallon, E. A., Vernham, G. A.
Nasal leishmaniasis. *Clin. Rec.*, 834
Saeed, S. R., Brookes, G. B.
The use of *Clostridium botulinum* toxin in palatal myoclonus: a preliminary report. *Orig. Art.*, 208
Safneck, J. R., Alguacil-Garcia, A., Dort, J. C., Phillips, S. M.
Solitary fibrous tumour: report of two new locations in the upper respiratory tract. *Path. Focus*, 252
Said, H., Gibb, A. G., Aziz, N. S., Kong, N., Zahir, Z. M., Gendeh, B. S.
Gentamicin ototoxicity in continuous ambulatory peritoneal dialysis. *Orig. Art.*, 681
Sakaguchi, M., Moriya, K., Taguchi, K., Katsuno, S.
Bilateral carcinomas of the maxillary sinus. *Clin. Rec.*, 42
Sakalinskas, V., Jankauskas, R.
Clinical otosclerosis and auditory exostoses in ancient Europeans (investigation of Lithuanian paleoosteological samples). *Orig. Art.*, 489
Salam, M. A., Cable, H. R.
The use of antibiotic/steroid ear drops to reduce post-operative otorrhoea and blockage of ventilation tubes. A prospective study. *Orig. Art.*, 188
Salam, M. A., Wengraf, C.
Concho-antropexy or total inferior turbinectomy for hypertrophy of the inferior turbinates? A prospective randomized study. *Orig. Art.*, 1125
Salam, M. A., Whitehead, E.
Large maxillary antral mucocele presenting with facial asymmetry. *Clin. Rec.*, 451
Salama, D., Batmanghelichi, O., Lupovitch, A.
Benign hamartomatous polyp of the palatine tonsil. *Path. Focus*, 1074
Saleh, E., Naguib, M., Russo, A., Taibah, A. K., Sanna, M.
Vascular malformation of the internal auditory canal. *Clin. Rec.*, 1039
Saleh, H. A., O'Flynn, P.
Prostatic metastases in the nose and paranasal sinuses. *Clin. Rec.*, 629
Saleh, S. Z., Abu Shara, K. A., Ghareeb, M. A., Zaher, S., Mobacher, A., Khalifa, M. Ch.
Radiotherapeutic effect on oropharyngeal flora in patients with head and neck cancer. *Orig. Art.*, 222
Saliola, S., Filipo, R., Barbara, M.
False-positive M.R.I. in a patient with otoneurological pathology. *Rad. Focus*, 465
Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Samuelson, P., Walder, M., Stjernquist-Desatnik, A.
Penetration of penicillin V to tonsillar surface fluid in healthy individuals and in patients with acute tonsillitis. *Orig. Art.*, 309
Sanderson, R. J., MacDougall, G.
Altered dental sensation following intranasal surgery. *Orig. Art.*, 1011
Sani, A., Sidek, D. S., Lokman, S.
Pyopneumothorax—a rare sequelae of retropharyngeal abscess. *Clin. Rec.*, 460
Sanna, M., Saleh, E., Naguib, M., Russo, A., Taibah, A. K.
Vascular malformation of the internal auditory canal. *Clin. Rec.*, 1039
Santhosh Pai, U., Rajan, R., Rajan, R., Rajan, N.
Gastric pull-up by eversion stripping of oesophagus. *Orig. Art.*, 1021
Sato, N., Hara, A., Kusakari, J., Shinohara, A., Yamada, Y.
Intrusion of an incisor tooth into the contralateral frontal sinus following trauma. *Clin. Rec.*, 240
Saunders, J. E., McElveen, J. T., McFerran, D. J., Hardy, D. G., Moffat, D. A.
Unusual cerebello-pontine angle tumours. *Orig. Art.*, 1087

Saunders, M. W., Jones, N. S.
Periorbital abscess due to ethmoiditis in neonate. *Clin. Rec.*, 1043
Saunders, M. W., Jones, N. S., Balsitis, M.
Bilateral auricular pseudocyst: a case report and discussion. *Clin. Rec.*, 39
Sawaki, S., Mochimatsu, I., Tsukuda, M., Furukawa, S.
Tumours metastasizing to the head and neck—a report of seven cases. *Clin. Rec.*, 1171
Sawaki, S., Nakatani, Y., Mochimatsu, I., Tsukuda, M.
Extramedullary plasmacytoma of the larynx. *Clin. Rec.*, 1049
Schalén, L., Kalm, O., Prellner, K., Harsten, G., Nettelbladt, U.
Language development in children with recurrent acute otitis media during the first three years of life: follow-up study from birth to seven years of age. *Orig. Art.*, 407
Scheel, O., Nordahl, S. H. G., Hoel, T., Olofsson, J.
Tularemia: a differential diagnosis in oto-rhino-laryngology. *Orig. Art.*, 127
Scott, P. M. J., Bleach, N. R., Perry, A. R., Cheesman, A. D.
Complications of pharyngeal myotomy for alaryngeal voice rehabilitation. *Orig. Art.*, 430
Segas, J., Helidonis, E., Velegrakis, G., Skoulakis, C., Bizakis, J.
Otorhinolaryngological diseases in the Minoan era. *Hist. Art.*, 879
Seidal, T., Theander, C., Lødén, B., Berglund, J.
Primary squamous carcinoma of the thyroid—a case report. *Clin. Rec.*, 1155
Seki, H., Ohnishi, M., Fujikura, T., Otsuka, H., Ohkubo, K.
Mast cell quantitation in nasal polyps, sinus mucosa and nasal turbinate mucosa. *Orig. Art.*, 418
Sellars, S., Evans, J., Michaels, L., Phelps, P. D., Proops, D.
Congenital cerebrospinal fluid fistula through the inner ear and meningitis. *Orig. Art.*, 492
Sergeant, R. J., Milton, C. M., Shotton, J. C., Premachandran, D. J., Woodward, B. M., Fabre, J. W.
A new technique using cultured epithelial sheets for the management of epistaxis associated with hereditary haemorrhagic telangiectasia. *Orig. Art.*, 510
Sergeant, R. J., Shotton, J. C., Russell, G. A., Milton, C. M.
Extra-pharyngeal neck pathology complicating pharyngeal pouch surgery. *Clin. Rec.*, 1163
Sergeant, R. J., Tanner, N. S. B., Allen, J. P., Shotton, J. C.
Lateral temporal bone resection for extensive pinnal malignancy: Has anything changed in forty years? *Orig. Art.*, 697
Serrano, E., De Forni, M., Pessey, J. J., Daly-Schveitzer, N. J., Bachaud, J. M., David, J. M., Shubinski, R. E., Perineau, D., Boussin, G.
Predictive factors of a complete response to and adverse effects of a CDDP–5FU combination as primary therapy for head and neck squamous carcinomas. *Orig. Art.*, 924
Shah, N. S., Abdullah, V., Williamson, P., Gallimore, A.
Middle ear lipoma. *Clin. Rec.*, 1151
Shaw, H. J., Hill, B. T., Price, L. A.
Larynx preservation after initial non-cisplatin containing combination chemotherapy plus radiotherapy, as opposed to surgical intervention with or without radiotherapy in previously untreated advance head and neck cancer: final analysis after 12 years follow-up. *Orig. Art.*, 211
Shaw, J., Birzgalis, A. R., Farrington, W. T., O'Keeffe, L.
Localized tracheopathia osteoplastica of the subglottis. *Clin. Rec.*, 352
Shenoy, A. M., Nanjundappa, M., Nayak, U. K., Bhargava, A. K., Naganoor, I. A., Vijayakumar, M.
Scalp flap—a utility and reconstructive option for head and neck surgeons. *Orig. Art.*, 324
Shenoy, P., David, V. C.
A case of quinsey in a fifteen-month-old child. *Clin. Rec.*, 354
Shenoy, P. K., David, V. C.
Cervical thymic cyst—a case report. *Clin. Rec.*, 950
Shidara, K., Uruma, T., Yasuoka, Y., Kamei, T.
Two cases of nasopharyngeal branchial cyst. *Clin. Rec.*, 453
Shinohara, A., Yamada, Y., Sato, N., Hara, A., Kusakari, J.
Intrusion of an incisor tooth into the contralateral frontal sinus following trauma. *Clin. Rec.*, 240
Shotton, J. C., Premachandran, D. J., Woodward, B. M., Fabre, J. W., Sergeant, R. J., Milton, C. M.
A new technique using cultured epithelial sheets for the management of epistaxis associated with hereditary haemorrhagic telangiectasia. *Orig. Art.*, 510
Shotton, J. C., Russell, G. A., Milton, C. M., Sergeant, R. J.
Extra-pharyngeal neck pathology complicating pharyngeal pouch surgery. *Clin. Rec.*, 1163
Shotton, J. C., Sergeant, R. J., Tanner, N. S. B., Allen, J. P.
Lateral temporal bone resection for extensive pinnal malignancy: Has anything changed in forty years? *Orig. Art.*, 697
Shubinski, R. E., Perineau, D., Boussin, G., Serrano, E., De Forni, M., Pessey, J. J., Daly-Schveitzer, N. J., Bachaud, J. M., David, J. M.
Predictive factors of a complete response to and adverse effects of a CDDP–5FU combination as primary therapy for head and neck squamous carcinomas. *Orig. Art.*, 924
Shum, B. S., Chow, L. T., Chow, W.
Fatal massive upper respiratory tract haemorrhage: an unusual complication of localized amyloidosis of the larynx. *Clin. Rec.*, 51
Sidek, D. S., Lokman, S., Sani, A.
Pyopneumothorax—a rare sequelae of retropharyngeal abscess. *Clin. Rec.*, 460
Sillars, H. A., Fagan, P. A.
The management of multiple paraganglioma of the head and neck. *Orig. Art.*, 538
Simpson, D., Robertson, A. G., Lamont, D.
A comparison of radiotherapy and surgery as primary treatment in the management of T_3 N_0 M_0 glottic tumours. *Orig. Art.*, 912
Simpson, P. R., Tschang, T-P., Chen, K. T. K., Weinberg, R. A.
Osteoblastoma of the nasal cavity. *Clin. Rec.*, 737
Singh, A. M., Bahadur, S., Tandon, D. A., Pande, R. M.
Anterior mandibulotomy for oral and oropharyngeal tumours. *Orig. Art.*, 316
Singh, B.
The management of lateral sinus thrombosis. *Orig. Art.*, 803
Singh, B., Maharaj, T. J.
Radical mastoidectomy: its place in otitic intracranial complications. *Orig. Art.*, 1113
Singh, K. B., Hanna, G. S., Dinnen, J. S.
Paraganglioma of the external auditory canal. *Clin. Rec.*, 228
Singh, M., Kacker, A., Bahadur, S.
Melanotic neuro-ectodermal tumour of infancy arising from the squamous and occipital bone. *Clin. Rec.*, 843
Siniluoto, T. M. J., Luotonen, J. P., Tikkakoski, T. A., Leinonen, A. S. S., Jokinen, K. E.
Value of pre-operative embolization in surgery for nasopharyngeal angiofibroma. *Orig. Art.*, 514
Skoulakis, C., Bizakis, J., Segas, J., Helidonis, E., Velegrakis, G.
Otorhinolaryngological diseases in the Minoan era. *Hist. Art.*, 879
Slootweg, P. J., Smit, F., Tweel, I. v. d., Ravasz, L. A., Hordijk, G. J.
Uni- and multivariate analysis of eight indications for post-operative radiotherapy and their significance for loco-regional cure in advanced head and neck cancer. *Orig. Art.*, 437
Small, M., Birzgalis, A. R., Ramsden, R. T., Farrington, W. T.
Severe radionecrosis of the temporal bone. *Orig. Art.*, 183
Smelt, G. J. C., Martin-Hirsch, D. P.
Conchal flap meatoplasty. *Short Comm.*, 1029
Šmid, L.
Cowden's disease—its importance for otolaryngologists. *Clin. Rec.*, 1064
Smit, F., Tweel, I. v. d., Ravasz, L. A., Hordijk, G. J., Slootweg, P. J.
Uni- and multivariate analysis of eight indications for post-operative radiotherapy and their significance for loco-regional cure in advanced head and neck cancer. *Orig. Art.*, 437
Smith, P. A., Turnbull, L. S., Panarese, A., Jones, A. S., Roland, N. J., Caslin, A. W.
Fine needle aspiration cytology of salivary gland lesions reported immediately in a head and neck clinic. *Orig. Art.*, 1025
Smyth, G. D. L., Toner, J. G.
Comparison of methods of evaluating hearing benefit of middle ear surgery. *Orig. Art.*, 4
Snow, D. G., Hansel, T. T., Williams, P. E., Drake-Lee, A. B., Thompson, R. A.
Sinus computerized tomography in primary hypogammaglobulinaemia. *Orig. Art.*, 1008
Snow, D. G., Kuo, M. J., Johnson, P. J. E., Al-Fallouji, H. K.
Spontaneous retropharyngeal haematoma: two cases and a review of the literature. *Clin. Rec.*, 649
Soames, J. V., Birchall, J. P., Aldren, C. P.
Bony remodelling in an osteoma of the paranasal sinuses. *Clin. Rec.*, 633
Solero, P., Rolando, M., Pejrone, M. D., Rossi, G., Actis, R.
Cochlear interdependence and micromechanics in man and their relations with the activity of the medial olivocochlear efferent system (MOES). *Orig. Art.*, 883

Sombolos, K., Velegrakis, G., Nikolaou, A., Daniilidis, J., Fountzilas, G., Kouloulas, A.
Supraglottic laryngectomy: experience with 66 patients over 20 years. *Orig. Art.*, 813
Speculand, B., Pahor, A. L., O'Connell, J. E., George, M. K.
Mycobacterial infection of the parotid gland: an unusual cause of parotid swelling. *Clin. Rec.*, 561
Speight, P. M., Macrobert, A. J., Bown, S. G., Grant, W. E., Hopper, C.
Photodynamic therapy of malignant and premalignant lesions in patients with 'field cancerization' of the oral cavity. *Orig. Art.*, 1140
Spraggs, P. D. R.
Radiological diagnosis of spheno-choanal polyp. *Rad. Focus*, 159
Srinivasan, V., Prior, A. J., Montgomery, P. Q.
Eye protection in ear, nose and throat surgery. *Short Comm.*, 618
Stables, G. I., MacKenzie, K., Nicol, J. W.
Histiocytosis: an unusual cause of dysphagia, hoarseness and stridor. *Clin. Rec.*, 1061
Stanley, R. E., Tow, S., Leong, H. K., Kwan, C. Y. W.
Malignant mesenchymoma of the retropharyngeal space. *Clin. Rec.*, 1165
Stell, P. M., Jones, A. S., Ravi, M.
The treatment of primary recurrence following laryngectomy for laryngeal carcinoma. *Orig. Art.*, 611
Stenfors, L.-E., Olsen, E. G.
The behaviour of tympanic membrane perforations in tissue culture: a scanning electron microscopic study. *Orig. Art.*, 1106
Stenfors, L-E., Typpö, T., Lohela, P., Apaja-Sarkkinen, M., Tikkakoski, T.
Parathyroid adenomas: pre-operative localization with ultrasound combined with fine-needle biopsy. *Orig. Art.*, 543
Stephens, D.
Some traditional treatments of hearing problems in Brittany and Wales. *Hist. Art.*, 391
Stevenson, D. S., Proops, D. W., Phelps, P. D.
Severe cochlear dysplasia causing recurrent meningitis: a surgical lesson. *Clin. Rec.*, 726
Stevenson, D. S., Proops, D. W., Wake, M. J. C., Deadman, M. J., Worrollo, S. J., Hobson, J. A.
Osseointegrated implants in the management of childhood ear abnormalities: the initial Birmingham experience. *Orig. Art.*, 502
Stewart, T. J., Magennis, J. P., Capper, R.
An unusual presentation of oat cell carcinoma. *Clin. Rec.*, 559
Stjernquist-Desatnik, A., Samuelson, P., Walder, M.
Penetration of penicillin V to tonsillar surface fluid in healthy individuals and in patients with acute tonsillitis. *Orig. Art.*, 309
Strachan, T., Neary, W. J., Newton, V. E., Vidler, M., Ramsden, R. T., Lye, R. H., Dutton, J. E. M., Richardson, P. L., Harris, R., Evans, D. G.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6
Su, C.-Y., Hwang, C.-F.
Near total laryngopharyngectomy with pectoralis major myocutaneous flap in advanced pyriform carcinoma. *Orig. Art.*, 817
Su, C.-Y, Wu, C.-M., Hwang, C. F., Lin, C.-H.
External ear canal schwannoma: an unusual case report. *Clin. Rec.*, 829
Sugimoto, T., Wakizono, S., Uemura, T., Tsuneyoshi, M., Enjoji, M.
Malignant oncocytoma of the parotid gland: a case report with an immunohistochemical and ultrastructural study. *Path. Focus*, 69
Sutay, S., Tekinsoy, B., Ceryan, K., Aksoy, Y.
Submaxillary hypoglossal neurilemmoma. *Clin. Rec.*, 953
Suvarna, S. K., Wight, R. G., Walsh-Waring, G. P., Whitworth, I. H.
Fourth branchial arch anomaly: a rare incidental finding in an adult. *Clin. Rec.*, 238
Suzuki, T., Asakura, K., Kataura, A., Ohguro, S., Himi, T., Harabuchi, Y.
Adult T-cell leukaemia-lymphoma in Waldeyer's ring: a report of three cases. *Clin. Rec.*, 960
Syed, A., van Hasselt, C. A., To, K. F.
Pigmented villonodular synovitis of the temporomandibular joint. *Clin. Rec.*, 853
Taguchi, K., Katsuno, S., Sakaguchi, M., Moriya, K.
Bilateral carcinomas of the maxillary sinus. *Clin. Rec.*, 42
Tahsin, A., Mustafa, E.
Cefotaxmine prophylaxis in major non contaminated head and neck surgery: one-day *vs* seven-day therapy. *Orig. Art.*, 30
Taibah, A. K., Sanna, M., Saleh, E., Naguib, M., Russo, A.
Vascular malformation of the internal auditory canal. *Clin. Rec.*, 1039
Takeno, S., Ibrahim, D., Harrison, R., Mount, R., Wake, M.
Carboplatin ototoxicity: an animal model. *Orig. Art.*, 585
Takimoto, T., Itoh, M.
Parapharyngeal abscess associated with the second pharyngeal pouch. *Clin. Rec.*, 456
Tanaka, T., Ichimura, K.
Trismus in patients with malignant tumours in the head and neck. *Orig. Art.*, 1017
Tanaka, Y., Yoshida, Y., Hirano, M.
CGRP-immunoreactive cells supplying laryngeal sensory nerve fibres in the cat's nodose ganglion. *Orig. Art.*, 916
Tanaka, Y., Yoshida, Y., Hirano, M., Morimoto, M., Kanaseki, T.
Distribution of SP- and CGRP- immunoreactivity in the cat's larynx. *Orig. Art.*, 522
Tandon, D. A., Bahadur, S., Vijayaraghavan, M., Thakar, A.
Extranotochordal chordoma presenting as multiple neck masses: report of a case. *Clin. Rec.*, 942
Tandon, D. A., Pande, R. M., Singh, A. M., Bahadur, S.
Anterior mandibulotomy for oral and oropharyngeal tumours. *Orig. Art.*, 316
Tanner, N. S. B., Allen, J. P., Shotton, J. C., Sergeant, R. J.
Lateral temporal bone resection for extensive pinnal malignancy: Has anything changed in forty years? *Orig. Art.*, 697
Tausjø, J., Natvig, K., Boysen, M.
Fistulas following laryngectomy in patients treated with irradiation. *Orig. Art.*, 1136
Tavin, M. E., Rubin, J. S., Camacho, F. J.
Sudden sensorineural hearing loss in haemoglobin SC disease. *Clin. Rec.*, 831
Tavio, M., Tirelli, U., Comoretto, R., Barzan, L.
Head and neck manifestations during HIV infection. *Orig. Art.*, 133
Tekinsoy, B., Ceryan, K., Aksoy, Y., Sutay, S.
Submaxillary hypoglossal neurilemmoma. *Clin. Rec.*, 953
Telatar, M., Yildiz, K., Køksal, H., Özoran, Y., Muhtar, H.
Papillary carcinoma in a thyroglossal duct remnant with normal thyroid gland. *Path. Focus*, 1174
Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D., Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Teotrakul, S., Kangsanarak, J., Fooanant, S., Ruckphaopunt, K., Navacharoen, N.
Extracranial and intracranial complications of suppurative otitis media: report of 102 cases. *Orig. Art.*, 999
Tewary, A. K.
Day-case tonsillectomy: a review of the literature. *Orig. Art.*, 703
Tewary, A. K., Barr, G. S.
Alteration of airflow and mucociliary transport in normal subjects. *Orig. Art.*, 603
Tewary, A. K., Barr, G. S., Bickerton, R. C.
Parental preferences for duration of hospital stay following tonsillectomy. *Orig. Art.*, 709
Tewary, A. K., Cable, H. R., Barr, G. S.
Steroids and control of post-tonsillectomy pain. *Orig. Art.*, 605
Tewary, A. K., Curry, A. R.
Same-day tonsillectomy. *Orig. Art.*, 706
Thakar, A., Tandon, D. A., Bahadur, S., Vijayaraghavan, M.
Extranotochordal chordoma presenting as multiple neck masses: report of a case. *Clin. Rec.*, 942
Theander, C., Lødén, B., Berglund, J., Seidal, T.
Primary squamous carcinoma of the thyroid—a case report. *Clin. Rec.*, 1155
Thijssen, H. O. M., Meyer, H. E., van Leeuwen, J. P. P. M., Cremers, C. W. R. J.
Unchanged unilateral hearing loss and ipsilateral growth of an acoustic neuroma from 1 to 4 cm. *Clin. Rec.*, 230
Thomas, M., Irvine, B., Al-Khabori, M. J. J., Natarajan, B.
Naso-labial flap in the reconstruction of the floor of the mouth defects. *Orig. Art.*, 320
Thomas, M. R., Garth, R. J. N., Fenton, C. J., Pearson, C. R., Riden, K.
The tracheostomal washer: a simple aid for tracheo-oesophageal speakers with a large tracheostome. *Short Comm.*, 824
Thomas, M. R., Ward, K., Al-Khabori, M., Natarajan, B.
Oncocytic mixed nasal tumour. *Clin. Rec.*, 732
Thomas, R., Kameswaran, M., Murugan, V., Okafor, B. C.
Sensorineural hearing loss in neurobrucellosis. *Clin. Rec.*, 1034
Thompson, A., Reddy, K., Pringle, M. B.
A comparison of speech audiometry and pure tone audiometry in patients with secretory otitis media. *Orig. Art.*, 787

Thompson, R. A., Snow, D. G., Hansel, T. T., Williams, P. E., Drake-Lee, A. B.
Sinus computerized tomography in primary hypogammaglobulinaemia. *Orig. Art.*, 1008
Thomsen, J., Møller, H., Parving, A., Buchwald, C., Tos, M.
Observer variations in the evaluation of facial nerve function after acoustic neuroma surgery. *Orig. Art.*, 1119
Tikkakoski, T., Stenfors, L-E., Typpö, T., Lohela, P., Apaja-Sarkkinen, M.
Parathyroid adenomas: pre-operative localization with ultrasound combined with fine-needle biopsy. *Orig. Art.*, 543
Tikkakoski, T. A., Leinonen, A. S. S., Jokinen, K. E., Siniluoto, T. M. J., Luotonen, J. P.
Value of pre-operative embolization in surgery for nasopharyngeal angiofibroma. *Orig. Art.*, 514
Timon, C. I., Brown, D., Dardick, I.
Hyoid bone tumour mass presenting with cervical nodal metastasis. *Path. Focus*, 967
Tirelli, U., Comoretto, R., Barzan, L., Tavio, M.
Head and neck manifestations during HIV infection. *Orig. Art.*, 133
To, K. F., King, W. W. K., van Hasselt, C. A., John, D. G., Rhys Williams, S., Ahuja, A., Evans, R.
Palpation compared with ultrasound in the assessment of malignant cervical lymph nodes. *Orig. Art.*, 821
To, K. F., Syed, A., van Hasselt, C. A.
Pigmented villonodular synovitis of the temporomandibular joint. *Clin. Rec.*, 853
Todd, G. B.
Audit of the incidence of persistent perforation of the tympanic membrane following T-tube removal or extrusion. *Orig. Art.*, 590
Audit of the incidence of persistent perforation of the tympanic membrane following grommet removal or extrusion. *Orig. Art.*, 593
Tolu, I., Aslan, T., Güney, E., Erkan, M.
Ultrasonography in laryngeal cancers. *Rad. Focus*, 65
Toma, A. G., Fisher, E. W.
Osteoma of the external auditory meatus presenting as an aural polyp. *Clin. Rec.*, 935
Toner, J. G., Smyth, G. D. L.
Comparison of methods of evaluating hearing benefit of middle ear surgery. *Orig. Art.*, 4
Tos, M., Thomsen, J., Møller, H., Parving, A., Buchwald, C.
Observer variations in the evaluation of facial nerve function after acoustic neuroma surgery. *Orig. Art.*, 1119
Tow, S., Leong, H. K., Kwan, C. Y. W., Stanley, R. E.
Malignant mesenchymoma of the retropharyngeal space. *Clin. Rec.*, 1165
Toynton, S., Fitzgerald O'Connor, A. F., Al-Saati, A., Mitchell, D. B.
Post laryngectomy diverticulum—a case report. *Clin. Rec.*, 46
Tschang, T-P., Chen, K. T. K., Weinberg, R. A., Simpson, P. R.
Osteoblastoma of the nasal cavity. *Clin. Rec.*, 737
Tsukuda, M., Furukawa, S., Sawaki, S., Mochimatsu, I.
Tumours metastasizing to the head and neck—a report of seven cases. *Clin. Rec.*, 1171
Tsukuda, M., Sawaki, S., Nakatani, Y., Mochimatsu, I.
Extramedullary plasmacytoma of the larynx. *Clin. Rec.*, 1049
Tsuneyoshi, M., Enjoji, M., Sugimoto, T., Wakizono, S., Uemura, T.
Malignant oncocytoma of the parotid gland: a case report with an immunohistochemical and ultrastructural study. *Path. Focus*, 69
Tsuru, S., Ohmori, T., Kitahara, S., Inouye, T., Healy, G. B., Ikeda, M.
CO-N reaction—a new serological activity index—on Wegener's granulomatosis. *Orig. Art.*, 607
Turnbull, L. S., Panarese, A., Jones, A. S., Roland, N. J., Caslin, A. W., Smith, P. A.
Fine needle aspiration cytology of salivary gland lesions reported immediately in a head and neck clinic. *Orig. Art.*, 1025
Tweel, I. v. d., Ravasz, L. A., Hordijk, G. J., Slootweg, P. J., Smit, F.
Uni- and multivariate analysis of eight indications for post-operative radiotherapy and their significance for loco-regional cure in advanced head and neck cancer. *Orig. Art.*, 437
Typpö, T., Lohela, P., Apaja-Sarkkinen, M., Tikkakoski, T., Stenfors, L-E.
Parathyroid adenomas: pre-operative localization with ultrasound combined with fine-needle biopsy. *Orig. Art.*, 543
Uemura, T., Tsuneyoshi, M., Enjoji, M., Sugimoto, T., Wakizono, S.
Malignant oncocytoma of the parotid gland: a case report with an immunohistochemical and ultrastructural study. *Path. Focus*, 69
Uruma, T., Yasuoka, Y., Kamei, T., Shidara, K.
Two cases of nasopharyngeal branchial cyst. *Clin. Rec.*, 453
van Hasselt, C. A., Choy, A. T. K., John, D. G.
Posterior epistaxis and the undeflatable Foley's urinary catheter balloon. *Clin. Rec.*, 142
van Hasselt, C. A., John, D. G., Porter, M. J.
Beware bleeding from the ear. *Clin. Rec.*, 137
van Hasselt, C. A., John, D. G., Rhys Williams, S., Ahuja, A., Evans, R., King, K. F. To, W. W. K.
Palpation compared with ultrasound in the assessment of malignant cervical lymph nodes. *Orig. Art.*, 821
van Hasselt, C. A., To, K. F., Syed, A.
Pigmented villonodular synovitis of the temporomandibular joint. *Clin. Rec.*, 853
van Leeuwen, J. P. P. M., Cremers, C. W. R. J., Thijssen, H. O. M., Meyer, H. E.
Unchanged unilateral hearing loss and ipsilateral growth of an acoustic neuroma from 1 to 4 cm. *Clin. Rec.*, 230
Vartiainen, E., Nuutinen, J., Karjalainen, S., Pellinen, P.
Posterior crus stapedectomy. *Orig. Art.*, 795
Vaughan, C. W., Cullen, J. R., Primrose, W. J.
Osteomyelitis as a complication of a tracheo-oesophageal puncture. *Clin. Rec.*, 242
Vaughan, M. M., Parker, A. J.
Idiopathic spontaneous tonsillar haemorrhage. *Clin. Rec.*, 44
Vaughan-Jones, R. H., Padgham, N. D., Christmas, H. E., Irwin, J., Doig, A.
One aid or two?—more visits please! *Orig. Art.*, 329
Velegrakis, G., Nikolaou, A., Daniilidis, J., Fountzilas, G., Koulouras, A., Sombolos, K.
Supraglottic laryngectomy: experience with 66 patients over 20 years. *Orig. Art.*, 813
Velegrakis, G., Skoulakis, C., Bizakis, J., Segas, J., Helidonis, E.
Otorhinolaryngological diseases in the Minoan era. *Hist. Art.*, 879
Venkateswaran, S., Mathan, M., Krishnaswami, H., Raman, R., Job, A.
Medical therapy of rhinosporidiosis with dapsone. *Orig. Art.*, 809
Vernham, G. A., Sadiq, H., Mallon, E. A.
Nasal leishmaniasis. *Clin. Rec.*, 834
Vidler, M., Ramsden, R. T., Lye, R. H., Dutton, J. E. M., Richardson, P. L., Harris, R., Evans, D. G., Strachan, T., Neary, W. J., Newton, V. E.
A clinical, genetic and audiological study of patients and families with bilateral acoustic neurofibromatosis. *Orig. Art.*, 6
Vijayakumar, M., Shenoy, A. M., Nanjundappa, M., Nayak, U. K., Bhargava, A. K., Naganoor, I. A.
Scalp flap—a utility and reconstructive option for head and neck surgeons. *Orig. Art.*, 324
Vijayaraghavan, M., Thakar, A., Tandon, D. A., Bahadur, S.
Extranotochordal chordoma presenting as multiple neck masses: report of a case. *Clin. Rec.*, 942
Villman, K., Westman, G., Davidsson, Å., Hellquist, H. B.
Malignant melanoma of the ear. *Orig. Art.*, 798
Vinayak, B. C., Cox, G. J., Ashton-Key, M.
Pilomatrixoma of the external auditory meatus. *Clin. Rec.*, 333
Vinayak, B. C., Jefferis, A. F., Wallace, M., Reddy, K. T. V.
Primary radiotherapy for treating all laryngeal cancer: a district hospital experience. *Orig. Art.*, 434
Vinayak, B. P., Reddy, K. T. V.
Hibernoma in the parotid region. *Path. Focus*, 257
Violaris, N. S., Pahor, A. L.
A variation of first branchial cleft anomalies. *Clin. Rec.*, 625
Vlahos, L. L., Gouliamos, A. D., Kailidou, E. D., Papailiou, J. G., Angeli, S. S., Athanassopoulou, A. C.
MRI features in a malignant glomus jugulare tumour. *Rad. Focus*, 1066
von Schoenberg, M., Robinson, P., Ryan, R.
Nasal packing after routine nasal surgery—is it justified? *Orig. Art.*, 902
Wake, M.
ENT cancer in the West Midlands region of England. *Orig. Art.*, 313
Wake, M., Takeno, S., Ibrahim, D., Harrison, R., Mount, R.
Carboplatin ototoxicity: an animal model. *Orig. Art.*, 585
Wake, M. J. C., Deadman, M. J., Worrollo, S. J., Hobson, J. A., Stevenson, D. S., Proops, D. W.
Osseointegrated implants in the management of childhood ear abnormalities: the initial Birmingham experience. *Orig. Art.*, 502
Wakizono, S., Uemura, T., Tsuneyoshi, M., Enjoji, M., Sugimoto, T.
Malignant oncocytoma of the parotid gland: a case report with an immunohistochemical and ultrastructural study. *Path. Focus*, 69

Walder, M., Stjernquist-Desatnik, A., Samuelson, P.
Penetration of penicillin V to tonsillar surface fluid in healthy individuals and in patients with acute tonsillitis. *Orig. Art.*, 309
Wallace, M., Reddy, K. T. V., Vinayak, B. C., Jefferis, A. F.
Primary radiotherapy for treating all laryngeal cancer: a district hospital experience. *Orig. Art.*, 434
Walsh, M., Russell, J. D., Donnelly, M., McShane, D. P., Alun-Jones, T.
What causes acute otitis externa? *Orig. Art.*, 898
Walsh, M. A., Gaffney, R. J.
Cervicofacial actinomycosis: an unusual cause of submandibular swelling. *Clin. Rec.*, 1169
Walsh-Waring, G. P., Whitworth, I. H., Suvarna, S. K., Wight, R. G.
Fourth branchial arch anomaly: a rare incidental finding in an adult. *Clin. Rec.*, 238
Ward, K., Al-Khabori, M., Natarajan, B., Thomas, M. R.
Oncocytic mixed nasal tumour. *Clin. Rec.*, 732
Wareing, M. J., Gray, R. F.
Foley catheter fixation in posterior epistaxis. *Short Comm.*, 1032
Wareing, M. J., Irving, R. M., Moffat, D. A.
Parapharyngeal space tumour presenting as recurrent uvular oedema. *Clin. Rec.*, 640
Watson, H. G., Denholm, S. W., Maynard, C. A.
Warfarin and epistaxis—a case controlled study. *Orig. Art.*, 195
Watson, M. G., Dawes, P. J. D., Samuel, P. R., Marshall, H. F., Rayappa, C., Hill, J., Meikle, D., Murty, G. E., Deans, J. A. J., Telios, G., Aldren, C., Birchall, J. P., Pritchard, A. J. N., Livesey, J., Appleton, D.
A study of haemostasis following tonsillectomy comparing ligatures with diathermy. *Orig. Art.*, 711
Watters, G. W. R., Milford, C. A.
Isolated sphenoid sinusitis due to *Pseudallescheria boydii*. *Clin. Rec.*, 344
Weber, R., Luna, M. A., El-Naggar, A. K., Carrillo, R., Batsakis, J. G.
Salivary neoplasms of the palate: A flow cytometric and clinicopathological analysis. *Path. Focus*, 858
Weinberg, R. A., Simpson, P. R., Tschang, T-P., Chen, K. T. K.
Osteoblastoma of the nasal cavity. *Clin. Rec.*, 737
Weiner, G. M., Williams, B.
Prevention of intracranial problems in ear and sinus surgery: a possible role for Cefotaxime. *Orig. Art.*, 1005
Weir, N., Little, P., Bridges, A., Guragain, R., Friedman, D., Prasad, R.
Hearing impairment and ear pathology in Nepal. *Orig. Art.*, 395
Wengraf, C., Salam, M. A.
Concho-antropexy or total inferior turbinectomy for hypertrophy of the inferior turbinates? A prospective randomized study. *Orig. Art.*, 1125
Westman, G., Davidsson, Å., Hellquist, H. B., Villman, K.
Malignant melanoma of the ear. *Orig. Art.*, 798
White, S. A., Goddard, M. J.
Metastatic Hurthle cell tumour causing central airway obstruction. *Clin. Rec.*, 957
Whitehead, E., Salam, M. A.
Large maxillary antral mucocele presenting with facial asymmetry. *Clin. Rec.*, 451
Whittam, D. E., Hellier, W.
Haemangiopericytoma of the parotid salivary gland. *Clin. Rec.*, 1159
Whittet, H. B., Ludman, H., Andaz, C.
An unusual cause of benign paroxysmal positional vertigo. *Clin. Rec.*, 1153
Whitworth, I. H., Suvarna, S. K., Wight, R. G., Walsh-Waring, G. P.
Fourth branchial arch anomaly: a rare incidental finding in an adult. *Clin. Rec.*, 238
Wight, R. G., Walsh-Waring, G. P., Whitworth, I. H., Suvarna, S. K.
Fourth branchial arch anomaly: a rare incidental finding in an adult. *Clin. Rec.*, 238
Wilkinson, S. M., Beck, M. H.
Hypersensitivity to topical corticosteroids in otitis externa. *Orig. Art.*, 597
Williams, A., Das Gupta, A., Jones, E. L., Dhaliwal, J., Rowlands, D. C., Niedobitek, G.
Nasal T-cell lymphoma associated with Epstein-Barr virus infection. *Path. Focus*, 468
Williams, B., Weiner, G. M.
Prevention of intracranial problems in ear and sinus surgery: a possible role for Cefotaxime. *Orig. Art.*, 1005
Williams, E. D., Hill, J., Allan, W., Malhan, D.
Pressure exerted by head bandages used in otological surgery. *Orig. Art.*, 1110
Williams, P. E., Drake-Lee, A. B., Thompson, R. A., Snow, D. G., Hansel, T. T.
Sinus computerized tomography in primary hypogammaglobulinaemia. *Orig. Art.*, 1008
Williams, S. B., Ellis, G. L., Meis, J. M., Heffner, D. K.
Ossifying fibromyxoid tumour (of soft parts) of the head and neck: a clinicopathological and immunohistochemical study of nine cases. *Path. Focus*, 75
Williamson, J. M. S., Armour, A.
Ectopic cervical hamartomatous thymoma showing extensive myoid differentiation. *Path. Focus*, 155
Williamson, P., Gallimore, A., Shah, N. S., Abdullah, V.
Middle ear lipoma. *Clin. Rec.*, 1151
Wilsher, T. K., Coakley, J. F., Arthurs, G. J.
The need for and development of a single use disposable nasal spray. *Orig. Art.*, 20
Woodward, B. M., Fabre, J. W., Sergeant, R. J., Milton, C. M., Shotton, J. C., Premachandran, D. J.
A new technique using cultured epithelial sheets for the management of epistaxis associated with hereditary haemorrhagic telangiectasia. *Orig. Art.*, 510
Woolford, T. J., Birzgalis, A. R., Lundell, C., Farrington, W. T.
Vomiting in pregnancy resulting in oesophageal perforation in a 15-year-old. *Clin. Rec.*, 1059
Worrollo, S. J., Hobson, J. A., Stevenson, D. S., Proops, D. W., Wake, M. J. C., Deadman, M. J.
Osseointegrated implants in the management of childhood ear abnormalities: the initial Birmingham experience. *Orig. Art.*, 502
Wright, A., Friedmann, I., Frohlich, A.
Epidemic typhus fever and hearing loss: a historical study. *Orig. Art.*, 275
Wu, C.-M., Hwang, C. F., Lin, C.-H., Su, C.-Y.
External ear canal schwannoma: an unusual case report. *Clin. Rec.*, 829
Xiao, S., Ma, D., Zhang, R., Huang, H., Jing, D., Li, Z., Zhou, S.
Analysis of lectin receptors in normal nasal mucosa, nasal polyp, inverted papilloma and papillary adenocarcinoma. *Orig. Art.*, 600
Yamada, Y., Sato, N., Hara, A., Kusakari, J., Shinohara, A.
Intrusion of an incisor tooth into the contralateral frontal sinus following trauma. *Clin. Rec.*, 240
Yasuoka, Y., Kamei, T., Shidara, K., Uruma, T.
Two cases of nasopharyngeal branchial cyst. *Clin. Rec.*, 453
Yildiz, K., Køksal, H., Özoran, Y., Muhtar, H., Telatar, M.
Papillary carcinoma in a thyroglossal duct remnant with normal thyroid gland. *Path. Focus*, 1174
Yoshida, Y., Hirano, M., Morimoto, M., Kanaseki, T., Tanaka, Y.
Distribution of SP- and CGRP- immunoreactivity in the cat's larynx. *Orig. Art.*, 522
Yoshida, Y., Hirano, M., Tanaka, Y.
CGRP-immunoreactive cells supplying laryngeal sensory nerve fibres in the cat's nodose ganglion. *Orig. Art.*, 916
Youngs, R.
Temporal bone histopathology of open mastoidectomy cavities. *Path. Focus*, 569
Xu, L., Zhang, S., Xu, Y., Liu, X.
Prevalence and aetiology of profound deafness in the general population of Sichuan, China. *Orig. Art.*, 990.
Xu, Y., Liu, X., Xu, L., Zhang, S.
Prevalence and aetiology of profound deafness in the general population of Sichuan, China. *Orig. Art.*, 990.
Zaher, S., Mobacher, A., Khalifa, M. Ch., Saleh, S. Z., Abu Shara, K. A., Ghareeb, M. A.
Radiotherapeutic effect on oropharyngeal flora in patients with head and neck cancer. *Orig. Art.*, 222
Zahir, Z. M., Gendeh, B. S., Said, H., Gibb, A. G., Aziz, N. S., Kong, N.
Gentamicin ototoxicity in continuous ambulatory peritoneal dialysis. *Orig. Art.*, 681
Zhang, R., Huang, H., Jing, D., Li, Z., Zhou, S., Xiao, S., Ma, D.
Analysis of lectin receptors in normal nasal mucosa, nasal polyp, inverted papilloma and papillary adenocarcinoma. *Orig. Art.*, 600
Zhang, S., Xu, Y., Liu, X., Xu, L.
Prevalence and aetiology of profound deafness in the general population of Sichuan, China. *Orig. Art.*, 990.
Zhou, S., Xiao, S., Ma, D., Zhang, R., Huang, H., Jing, D., Li, Z.
Analysis of lectin receptors in normal nasal mucosa, nasal polyp, inverted papilloma and papillary adenocarcinoma. *Orig. Art.*, 600

The Journal of Laryngology and Otology
December 1993, Vol. **107**, pp. 1217–1221

SUBJECT INDEX

Abscess
parapharyngeal with second pharyngeal pouch. **107:** 456
periorbital. **107:** 1043
peritonsillar. **107:** 354
retropharyngeal, pyopneumotherax. **107:** 460
Acoustic rhinomanometry
septoplasty and compensatory inferior turbinate hypertrophy. **107:** 413
Actinomycosis
cervicofacial, unusual submandibular swelling. **107:** 1169
Airway obstruction
associated with Brighton epistaxis balloon. **107:** 140
invasion by well-differentiated thyroid carcinoma. **107:** 752
metastatic Hurthle cell tumour. **107:** 957
Ameloblastoma, pigmented
arising in neural crest. **107:** 843
Amyloidosis
larynx. **107:** 51
Angioleiomyoma
nasal tip. **107:** 448
Aspergillosis
paranasal sinuses, editorial. **107:** 773
sphenoid sinus. **107:** 837
Aspiration
barium sulphate. **107:** 347
laryngeal closure at level of false cord. **107:** 826
surgery for. **107:** 121
Audiometry
decibel **107:** 985
speech and pure tone in secretary otitis media. **107:** 787
Audiometry, bone conduction
errors at high frequencies. **107:** 305
Brachytherapy
recurrent nasopharyngeal and naso-ethmoidal tumours. **107:** 115
Branchial apparatus
first cleft anomalies, variation. **107:** 625
fourth branchial arch anomaly. **107:** 238
fourth branchial arch fistula. **107:** 458
nasopharyngeal branchial cyst. **107:** 453
pharyngeal branchial cyst. **107:** 1054
second pharyngeal pouch. **107:** 456
British Association for Paediatric Otorhinolaryngology
meeting abstracts. **107:** 1180
British Skull Base Society
meeting abstracts. **107:** 91, 658
Brittany
treatments of hearing problems in. **107:** 391
Cannabis
external ear. **107:** 444
Carcinoma
maxiallary sinus, bilateral. **107:** 42
nasopharyngeal in HIV positive patient. **107:** 149
nasopharynx, combined therapy. **107:** 201
oat cell, unusual presentation. **107:** 559
papillary carcinoma, thyroglossal duct remnant. **107:** 1174
prostatic, sensorineural hearing loss. **107:** 933
pyriform fossa, near total laryngopharyngectomy. **107:** 817
squamous cell, tonsil and base of tongue. **107:** 1129
thyroid, squamous cell primary. **107:** 1155
thyroid, well differentiated. **107:** 752
undifferentiated carcinoma, parotid gland. **107:** 1177
Carotid sinus syndrome
parapharyngeal neoplasms. **107:** 955
Cefotaxime
prophylaxis in head and neck surgery. **107:** 30
role in prevention of intracranial problems in ear and sinus surgery. **107:** 1005
Cerebellopontine angle
primary cerebral lymphoma as bilateral lesions. **107:** 937
unusual tumours. **107:** 1087
Cerebrospinal fluid
congenital fistula in inner ear. **107:** 492
Chiari-1 malformation
otoneurological manifestations. **107:** 441
China, Sichuan
profound deafness, prevalence and aetiology. **107:** 990
Chlamydia trachomatosis
recurrent tonsillitis in. **107:** 27
Cholesteatoma
definition, terminology and pathology. **107:** 483
Chondroradionecrosis
pectoralis major muscle transposition. **107:** 748
Chondrosarcoma
hyoid bone. **107:** 642
Chordoma
extranotochordal as multiple neck masses. **107:** 942
Clostridium botulinum
use in palatal myoclonus. **107:** 208
Cochlea
cochlear dysplasia, cause of recurrent meningitis. **107:** 726
cochlear interdependence and micromechanics in man. **107:** 883
Cough
investigation. **107:** 639
Cowden's disease
importance to otolaryngologists. **107:** 1064
CT scanning
orbital floor blow-out fracture. **107:** 161
sinus, in primary hypogammaglobulinaemia. **107:** 1008
Cyst
cervical thymic. **107:** 950
Cytology
fine needle aspiration in salivary glands. **107:** 1025
Diverticulum
hypopharyngeal, autosuture GIA gun. **107:** 723
hypopharyngo-oesophageal. **107:** 49
pharyngeal diverticulum surgery, extrapharyngeal neck pathology complicating. **107:** 1163
post laryngectomy. **107:** 46
Dysphagia
foreign body in thyroid. **107:** 1057
histiocytosis, unusual cause of. **107:** 1061
Ear, external
bilateral auricular pseudocyst. **107:** 39
cannabis. **107:** 444
conchal flap meatoplasty. **107:** 1029
exostoses in ancient Europeans. **107:** 489
malginant melanoma. **107:** 798
osteoma. **107:** 935
pinnal malignancy, lateral temporal bone resection. **107:** 697
schwannoma. **107:** 829
Ear, inner
congenital cerebrospinal fluid fistula. **107:** 492
Ear, middle
dermoid cyst. **107:** 335
lipoma. **107:** 1151
primary synovial sarcoma. **107:** 1071
Ear canal
paraganglioma. **107:** 228
pilomatrixoma. **107:** 333
Ear drops
topical corticosteroids, hypersensitivity. **107:** 597
use in post-operative otorrhoea and blockage of ventilation tubes. **107:** 188

Endoscopy
61 tract, value in globus syndrome. **107:** 535
surgery of sphenoid sinus aspergillosis. **107:** 837
Epistaxis
Brighton balloon, repiratory obstruction. **107:** 140
cultured epithelial sheets in hereditary haemorrhagic telangectasia. **107:** 510
Foley catheter fixation. **107:** 1032
posterior and undeflatable Foley catheter balloon. **107:** 142
renal derived. **107:** 144
use of balloon catheters in treatment. **107:** 197
warfarin. **107:** 195
Eustachian tube
pathology in otitis media, electron microscopy. **107:** 651
submucosal glands in normal pathological temporal bones. **107:** 1099
Evoked potential audiometry
cortical in comparison of noise induced hearing loss with Ménière's disease. **107:** 780
Eye
acute visual loss with sinusitis. **107:** 840
protection in ear, nose and throat surgery. **107:** 618
Facial palsy
after glomus tumour embolization. **107:** 963
bilateral, post-traumatic. **107:** 730
observer variations in observing post acoustic neuroma surgery. **107:** 1119
Flap
conchal meatoplasty. **107:** 1029
nasolabial. **107:** 320
pectoralis major myocutaneous. **107:** 817
scalp. **107:** 324
Foreign body
bay leaf in oesophagus. **107:** 153
in thyroid, dysphagia. **107:** 1057
incisor tooth in contralateral frontal sinus. **107:** 240
orbit. **107:** 735
tracheobronchial, broken tracheostomy introducer. **107:** 463
tracheobronchial tree via tracheostomy. **107:** 359
Gastrostomy
percutaneous endoscopic, implantation metastasis. **107:** 946
Globus syndrome
value of flexible endoscopy of upper 61 tract. **107:** 535
Glomus tympanicum tumour
NdYAG laser treatment. **107:** 236
Haematoma
retropharyngeal. **107:** 356
retropharyngeal, spontaneous. **107:** 649
Haemoglobin
pre-operative assessment. **107:** 1146
Haemorrhage
complication of localized amyloidosis of larynx. **107:** 51
from the ear. **107:** 137
idiopathic spontaneous tonsillar. **107:** 44
Haemostasis
post tonsillectomy. **107:** 711
Head and neck
cancer, combination chemotherapy plus radiotherapy, surgery with or without radiotherapy. **107:** 211
cancer, post-operative radiotherapy analysis. **107:** 437
cancer, radiotherapeutic effect on oropharyngeal flora. **107:** 222
CDDP-54 as primary therapy for squamous cell carcinomas. **107:** 924
clinic, FNA cytology of salivary glands. **107:** 1025
ENT cancer in West Midlands. **107:** 313
malignant jugulare tumour, MRI. **107:** 1067
malignant tumours, trismus. **107:** 1017
management of multiple paraganglioma. **107:** 538
manifestations during HIV infection. **107:** 133
metastasis to. **107:** 1171
ossifying fibromyxoid tumour. **107:** 75
rhabdomyosarcoma. **107:** 716
surgery, cefotaxmine prophylasis. **107:** 30
Head dressings
Knot to be condemned. **107:** 33
pressure exerted in otological surgery. **107:** 1110
valve in middle ear surgery. **107:** 17
Hearing
benefit in middle ear surgery. **107:** 4
Hearing aid
bone-anchored and prostheses. Editorial. **107:** 99
one or two. **107:** 329
Hearing loss
and ear pathology in Nepal. **107:** 395
blood sugar levels in Ménière's disease. **107:** 620
epidemic typhus fever. **107:** 275
in diabetics. **107:** 179
in sickle cell anaemia. **107:** 790
prevalence and aetiology in Sichuan, China. **107:** 990
sensorineural caused by metastatic prostatic carcinoma. **107:** 933
sensorineural in neurobrucellosis. **107:** 1034
unchanged with growth of vestibular schwannoma. **107:** 230
with otitis media with effusion. **107:** 284
Hearing loss, noise induced
cortical evoked potential in objective assessment of auditory threshold. **107:** 780
Hearing loss, sudden sensorineural
in haemoglobin SC disease. **107:** 831
Hereditary haemorrhagic telangectasia
cultured epithelial sheets in management of epistaxis. **107:** 510
Histiocytosis
unusual cause of dysphagia, hoarseness, stridor. **107:** 1061
Histoplasmosis
oral cavity, oropharynx and larynx. **107:** 58
Historical
otorhinolaryngological diseases in the Minoan era. **107:** 879
otosclerosis and auditory exostoses in ancient europeans. **107:** 489
traditional treatments of hearing problems in Brittany and Wales. **107:** 391
Hoarseness
histiocytosis, an unusual cause of. **107:** 1061
Human immunodeficiency viruses
head and neck manifestations. **107:** 133
nasopharyngeal carcinoma. **107:** 149
Hyoid bone
chondrosarcoma. **107:** 642
tumour mass as cervical node metastasis. **107:** 967
Immunohistochemistry
comparison between squamous cell carcinoma of tonsillar region and base of tongue. **107:** 1129
Implants, cochlea
Ineraid, multichannel. **107:** 673
preliminary assessment clinic. **107:** 103
pschological assessment. **107:** 298
Implants, osseointegrated
childhood ear abnormalities. **107:** 502
Informed consent
structured interview. **107:** 775
Internal auditory canal
vascular malformation. **107:** 1039
Jugular veins
internal, ligation in venous hum tinnitus. **107:** 1037
Landon-Kleffner syndrome
acquired aphasia without deafness. **107:** 623
Language development
recurrent otitis media. **107:** 407
Laryngeal cartilages
homologous implant in glottic reconstruction. **107:** 427
Laryngeal neoplasms
comparison of radiotherapy and surgery in $T_3N_0M_0$ glottic tumours. **107:** 912
extramedullary plasma cytoma. **107:** 1049
glottic carcinoma *in situ* treated with radiotherapy. **107:** 1014
granular cell tumour. **107:** 940
papillomatosis, recurrent. **107:** 636
papillomatosis, ribavirin treatment. **107:** 423
primary radiotherapy. **107:** 434
ultrasonography. **107:** 65
Laryngectomy
diverticulum. **107:** 46
fistulas post irradiation. **107:** 1136
radiotherapy and complications. **107:** 130
stomal recurrence risk factors. **107:** 527
supraglottic. **107:** 813
treatment of primary recurrence. **107:** 611
Laryngopharyngectomy
near total. **107:** 817
Larynx
amyloidosis. **107:** 51
cat, distribution of SP- and CGRP-immunoreactivity. **107:** 522
external trauma. **107:** 920

histoplasmosis. **107:** 58
sensory nerve fibres in cat's nodose ganglion. **107:** 916
tuberculosis in a lepromatous patient. **107:** 845
Laser
in vitro comparison of erbium: YAG laser and CO_2 laser in laryngeal surgery. **107:** 908
NdYAG treatment of glomus tympanicum tumour. **107:** 236
Lateral sinus thrombosis
management of. **107:** 803
Leiomyoma
paranasal sinuses. **107:** 740
Lesishmaniasis
nose. **107:** 834
Lipoma
cerebellopontine angle. **107:** 553
middle ear. **107:** 1151
polypoid of palatine tonsil. **107:** 556
Lymph nodes
malignant cervical, palpation compared with ultrasound. **107:** 821
Lymphoma
adult T-cell leukaemia-lymphoma. **107:** 960
primary cerebral presenting with bilateral CP angle lesions. **107:** 937
T-cell of nose. **107:** 468
Malignant melanoma
ear. **107:** 798
Mandibulotomy
anterior for oral and orophangeal tumours. **107:** 316
Mastoid surgery
radical mastoidectomy, intracranial complications. **107:** 1113
Maxillary sinus
bilateral carcinomas. **107:** 42
mucocoele. **107:** 451
Melnick-Needles syndrome
emergency tracheostomy. **107:** 647
Meningitis
congenital cerebrospinal fluid fistula. **107:** 492
recurrent due to congenital fistula of stapes footplate. **107:** 931
severe cochlear dysplasia causing. **107:** 726
Mesenchymoma
malignant of retropharyngeal space. **107:** 1165
Ménière's disease
cortical evoked potential in objective assessment of auditory threshold. **107:** 780
hearing loss with fluctuating blood sugar levels. **107:** 620
type II collagen autoimmunity. **107:** 994
Mucociliary clearance
alteration of in normal subjects. **107:** 603
nasal in snuff users. **107:** 244
prognostic value of in predicting tympanoplasty success. **107:** 895
Mucocoele
maxillary antral. **107:** 451
Munchausen syndrome
by proxy. **107:** 151
Myoclonus
palatal, use of *Clostridium botulinum* toxin. **107:** 208
palato-pharyngo-laryngeal. **107:** 746
Nasal neoplasms
angioleiomyoma. **107:** 448
necrotizing palisading granuloma. **107:** 656
osteoblastoma. **107:** 737
prostatic metastases. **107:** 629
T-cell lymphoma. **107:** 468
Nasal packing
justification after routine nasal surgery. **107:** 902
need after inferior turbinate resection. **107:** 906
Nasal polypectomy
suction forceps. **107:** 35
Nasal polyps
mast cell quantitation. **107:** 418
strangulated antrochoanal polyp. **107:** 342
Nasal spray
single use. **107:** 20
Nasal surgery
altered dental sensation. **107:** 1011
Nasopharyngeal neoplasms
angiofibroma, pre-operative embolization. **107:** 514
brachytherapy. **107:** 115
carcinoma in HIV positive patient. **107:** 149
combined therapy for carcinoma. **107:** 201
Nasopharynx
branchial cyst. **107:** 453
Neck
cervicofacial actinomycosis. **107:** 1169
extra-pharyngeal pathology complicating pharyngeal pouch surgery. **107:** 1163
malignant mesenchymoma of retropharyngeal space. **107:** 1165
multiple masses due to extranotochordal chordoma. **107:** 942
Nepal
hearing impairment and ear pathology in. **107:** 395
Neural crest
ameloblastoma, pigmented. **107:** 843
Neurilemmoma
submaxillary hypoglossal. **107:** 953
Neurobrucellosis
sensorineural hearing loss. **107:** 1034
Neurofibromatosis II
bilateral acoustic neurofibromatosis, familial study. **107:** 6
need for supraregional care? **107:** 401
Nose
analysis of lectin receptors. **107:** 600
leishmaniasis. **107:** 834
Obituary
Ronald Graeme MacBeth. **107:** 101
Oesophagus
eversion stripping. **107:** 1021
foreign body. **107:** 153
perforation, vomiting in pregnancy. **107:** 1059
Oral cavity
anterior mandibulotomy for oral tumours. **107:** 316
histoplasmosis. **107:** 58
photodynamic therapy in malignant and premalignant lesions of. **107:** 1140
Orbit
acute visual loss in association with sinusitis. **107:** 840
blow-out fracture, radiological diagnosis. **107:** 161
wooden foreign body. **107:** 735
Oropharynx
anterior mandibulotomy for oropharyngeal tumours. **107:** 316
histoplasmosis. **107:** 58
Ossicles
erosion in chronic suppurative otitis media. **107:** 12
familial stapes superstructure fixation. **107:** 36
Ossiculoplasty
cortical bone grafts. **107:** 686, 690, 695
Osteoblastoma
nasal cavity. **107:** 737
Osteoma
external auditory meatus. **107:** 935
paranasal sinuses. **107:** 633
Otitis externa
causes of. **107:** 898
hypersensitivity to topical corticosteroids. **107:** 597
Otitis media
language development. **107:** 407
pathology of eustachian tube. **107:** 651
suppurative, extra and intracranial complications. **107:** 999
tuberculosis. **107:** 339
Otitis media, chronic suppurative
cellular mechanism of ossicular erosion in. **107:** 12
Otitis media with effusion
comparison of speech and pure tone audiometry. **107:** 787
surgical management. **107:** 284
Otosclerosis
in ancient Europeans. **107:** 489
Ototoxicity
carboplatin, animal model. **107:** 585
gentamicin in continuous ambulatory peritoneal dialysis. **107:** 681
Papillomatosis
juvenile, ribavirin treatment. **107:** 423
recurrent. **107:** 636
Paraganglioma
ear canal. **107:** 228
head and neck. **107:** 538
jugulo-tympanic, frozen section diagnosis. **107:** 755
Paranasal sinus infection
aspergillosis, editorial. **107:** 773

Paranasal sinus neoplasms
brachytherapy in ethmoidal neoplasms. **107:** 115
leiomyoma. **107:** 740
malignant schwannoma. **107:** 146
maxillary, neuroectodermal tumour. **107:** 1045
osteoma. **107:** 633
prostatic metasases. **107:** 629
Parapharyngeal neoplasms
carotid sinus syndrome in. **107:** 955
Parapharyngeal space
tumour with recurrent uvula oedema. **107:** 640
Parathyroid neoplasms
adenomas, pre-operative localization with ultrasound. **107:** 543
Parotid gland
mycobacterial infection of. **107:** 561
Parotid neoplasms
basal cell adenocarcinoma. **107:** 862
cystic hygroma. **107:** 855
haemangiopericytoma. **107:** 1159
hibernoma. **107:** 257
malignant oncocytoma. **107:** 69
pleomorphic adenoma and pneumoparotitis. **107:** 349
recurrent pleomorphic adenoma. **107:** 546
undifferentiated carcinoma. **107:** 1177
Pathology in Focus
basal cell adenocarcinoma of the parotid gland. **107:** 862
benign hamaratomatous polyp of palatine tonsil. **107:** 1074
ectopic cervical hamartomatous thymoma. **107:** 155
Eustachian tube in otitis media. **107:** 651
granuloma of the nose. **107:** 656
hamartoma of tongue. **107:** 363
hibernoma in parotid region. **107:** 257
hyoid bone tumour mass. **107:** 967
jugulo-tympanic paraganglioma. **107:** 755
malignant oncocytoma of the parotid gland. **107:** 69
nasal T-cell lymphoma. **107:** 468
ossifying fibromyoid tumour. **107:** 75
papillary duct carcinoma in thyroglossal duct remnant. **107:** 1174
primary synovial sarcoma middle ear. **107:** 1071
salivary neoplasms of the palate. **107:** 858
solitary fibrous tumour. **107:** 252
temporal bone histopathology. **107:** 569
undifferentiated carcinoma of parotid gland. **107:** 1177
Penicillamine
complications. **107:** 62
Peritonsillar abscess
in a 15 month child. **107:** 354
Pharyngitis
chronic, relationship between SIgA. **107:** 532
Photodynamic therapy
of malignant and premalignant lesions of oral cavity. **107:** 1140
Posturography
platform, sensory interaction testing. **107:** 496
Primary hypogammaglobulinaemia
sinus CT in. **107:** 1008
Pseudallescheria boydii
sphenoid sinusitis. **107:** 344
Radiology in focus
cyotic hygroma of the parotid gland. **107:** 855
facial palsy after glomus tumour embolization. **107:** 963
false-positive MRI. **107:** 465
laryngeal imaging following radiotherapy. **107:** 565
malignant jugulare tumour, MRI features. **107:** 1067
orbital floor blow-out fracture on CT scan. **107:** 161
pneumatization of uncinate process. **107:** 361
sonography in cystic neck lesions. **107:** 245
spheno-choanal polyp. **107:** 159
ultrasonography in laryngeal cancers. **107:** 65
Radiotherapy
analysis of in head and neck cancer. **107:** 437
comparison with surgery in $T_3N_0M_0$ glottic tumours. **107:** 912
complications of laryngectomy. **107:** 130
effect on oropharyngeal flora. **107:** 222
post laryngectomy fistulas. **107:** 1136
primary treatment in laryngeal cancer. **107:** 434
treatment of glottic carcinoma *in situ*. **107:** 1014
with combination chemotherapy in head and neck cancer. **107:** 211
Review article
aural cholesteatoma. **107:** 483
Rhabdomyosarcoma
head and neck, DNA ploidy study. **107:** 716
Rhino sporidiosis
medical treatment with dapsone. **107:** 809
Rhinocerebral mucormycosis
in Ketoacidotic diabetic. **107:** 233
Ribavirin
juvenile papillomatosis. **107:** 423
Romania
otological relief work. **107:** 1185
Salivary gland neoplasms
of the palate. **107:** 858
Schwannoma
external ear. **107:** 829
malignant of parapharyngeal space. **107:** 848
Septoplasty
acoustic rhinometry. **107:** 413
Sickle cell anaemia
sensorineural hearing loss. **107:** 790
sudden sensorineural hearing loss. **107:** 831
Sphenoid sinus
aspergillosis. **107:** 837
Pseudallescheria boydii intortion. **107:** 344
Stapedectomy
posterior crus. **107:** 795
Stapes
congenital fistula of footplate. **107:** 931
familial superstructure fixation. **107:** 36
otosclerosis in ancient Europeans. **107:** 489
Stridor
histiocytosis, an unusual cause of. **107:** 1061
investigation. **107:** 639
Subglottis
tracheopathia osteoplastica. **107:** 352
Surgery, digestive system
gastric pull-up. **107:** 1021
Surgery, middle ear
head dressings in. **107:** 17
Teeth
frontal sinus. **107:** 240
Temporal bone
dissection using low cost electric drill. **107:** 721
Eustachian tube in normal v pathological. **107:** 1099
histopathology of open mastoidectomy cavities. **107:** 569
resection for pinnal malignancy. **107:** 697
severe radionecrosis. **107:** 183
Temporomandibular joint
pigmented villonodular synovitis. **107:** 853
synovial osteochondromatosis. **107:** 742
Thyroid gland
foreign body, dysphagia. **107:** 1057
normal with papillary carcinoma in thyroglossal duct remnant. **107:** 1174
Thyroid neoplasms
metastatic Hurthle cell. **107:** 957
primary squamous cell carcinoma. **107:** 1155
well-differentiated carcinoma. **107:** 752
Tinnitus
iatrogenic pulsatile. **107:** 445
ligation of internal jugular vein. **107:** 1037
Tongue
Hamartoma. **107:** 363
squamous cell carcinoma. **107:** 1129
Tonsil
benign hamartomatous polyp. **107:** 1074
haemorrhage. **107:** 44
penetration of penicillin V. **107:** 309
polypoid lipoma. **107:** 556
squamous cell carcinoma, immunohistochemistry. **107:** 1129
Tonsillectomy
a travelling kit. **107:** 1086
comparison of haemostasis, ligatures with diathermy. **107:** 711
day-case. **107:** 703
parental preferences for duration of hospital stay. **107:** 709
pre-operative haematological tests. **107:** 205
same-day. **107:** 706
steroids and control of post-tonsillectomy pain. **107:** 605
Tonsillitis
Chlamydia trachomatosis. **107:** 27
penetration of penicillin V. **107:** 309

Trachea
osteomyelitis as a complication of tracheo-oesophageal puncture. **107:** 242
primary tuberculosis. **107:** 1052
Tracheostomy
Melnick-Needles syndrome. **107:** 647
repeated foreign bodies into tracheobronchial tree. **107:** 359
surgical decannulation in children. **107:** 217
Trismus
malignant tumours in head and neck. **107:** 1017
Tuberculosis
cervical lymphadenopathy. **107:** 614
larynx in a lepromatous patient. **107:** 845
otitis media. **107:** 339
parotid gland. **107:** 561
primary tracheal. **107:** 1052
Tularemia
differential diagnosis in oto-rhino-laryngology. **107:** 127
Turbinate
inferior and acoustic rhinometry. **107:** 413
inferior resection, need for a nasal pack. **107:** 906
mucosa, mast cell quantitation. **107:** 418
total interior turbinectomy or concho-antropexy. **107:** 1125
Tympanic membrane
behaviour of perforations in tissue culture. **107:** 1110
ossification. **107:** 550
persistent perforation following grommet removal. **107:** 593
persistent perforation following 't' tube removal. **107:** 590
Tympanoplasty
prognostic value of mucociliary clearance. **107:** 895
xenograft versus autograft. **107:** 892
Tympanosclerosis
mini-grommet. **107:** 108
Ultrasound
comparison with palpation in malignant cervical lymph nodes. **107:** 821
pre-operative localization in parathyroid adenomas. **107:** 543
Ventilation tubes
swimming and otorrhoea. **107:** 190
the mini-grommet and tympanosclerosis. **107:** 108
tympanic perforation following grommet removal. **107:** 593
tympanic perforation following T-tube removal. **107:** 590
use of ear drops in post-operative otorrhoea and blockage. **107:** 188
Vertigo
benign paroxysmal positional. **107:** 1153
Vestibular schwannoma
clinical correlates of morphology. **107:** 290
CSF otorhinorrhoea post surgery. **107:** 1122
growth and unchanged hearing loss. **107:** 230
post surgery observer variations in evaluation of facial nerve function. **107:** 1119
transcranial translabyrinthine approach. **107:** 111
treatment in the elderly. **107:** 295
Visual disorders
in association with sinusitis. **107:** 840
Vocal fold paralysis
secondary to venous thrombosis. **107:** 54
Voice rehabilitation
complications of pharyngeal myotomy. **107:** 430
'the holiday plug'. **107:** 1149
the tracheostomal washer. **107:** 824
Wales
treatments of hearing problems in. **107:** 391
Wegener's granulomatosis
CO-N reaction, a new serological activity index. **107:** 607